

## 58MM impressora Bluetooth portátil térmica Suporte Android Impressora Térmica

### Características:

Suporte do Windows, Java, Android

Bluetooth, porta USB

Superior 90 milímetros / s velocidade de impressão.

100 km Vida TPH.

Baixo consumo de energia e bateria de lítio de grande capacidade.

### Especificação:

Em geral Dimensão (W × D × H)	105 × 75 × 45 milímetros
Peso	134g
Cor	Preto
Largura de impressão efectiva	48 milímetros
Método de impressão	Impressão térmica
Os comandos de impressão	ESC / POS conjunto de comandos compatível
A velocidade de impressão	Até a 90mm / s
Resolução	8 pontos / mm (203 dpi)
Fonte Imprimir	12x24 / 24x24
A capacidade da coluna	32 colunas / 16columns
Tamanho dos caracteres	1,5 x 3,0 mm (W x H) / 3.0x3.0mm (LxA)
Dimensões do papel	58,0 ± 0,1 milímetros 40,0 milímetros x diâmetro
Espessura do papel	De 0,06 a 0,08 milímetros
Conjunto de caracteres	Alfanumérico / Kanji chinês
Interface	USB, Bluetooth
Buffer de dados	Até 5 Kbytes
Power Adapter	DC 9V / 2A
Power Battery	7.4V DC / 1500mA; bateria pode ficar por por 4-5 dias, quando está cheia poder, ele pode imprimir 120-150m papel
Outras características	Detecção de papel, detecção de energia, fechada manual para baixo
As condições de trabalho	Temperatura: -10-50Degree, Umidade: 10% -90%
Condições de armazenamento	Temperatura: -20-70Degree, Umidade: 5% -95%
Nome do dispositivo	Pode ser personalizado, letra e digital para a opção, no máximo 30 ASCII caracteres.
Senha	Digite o código de emparelhamento padrão "1234", ele pode ser personalizado. No máximo 6 digitais.
Dimensão Ficha de alimentação	3,5 * 1,1 milímetros



## 58mm Bluetooth Thermal Printer for Andorid or IOS system

OCPP-M03



### Product Picture





## Features

### Simple but not easy

Battery charge indicator, easy to know rest power.



Higher print speed 90mm/sec



Support Windows, Android, or iPhone OS;  
Bluetooth, USB and RS232 communication



Higher print speed 90mm/sec.  
100km TPH Life



Low power consumption and large capacity Lithium battery.



## All-round show





## Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation, Warehouse management, Delivery, Illegal Parking Ticket, Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm



## Parameter

Overall Dimension (W×D×H)	105×75×45mm
Weight	134g
Color	Black
Effective print width	48mm
Print method	Thermal line printing
Print commands	ESC/POS compatible command set
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12x24/ 24x24
Column capacity	32 columns/ 16columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)
Paper dimensions	58.0±0.1mm x diameter 40.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji
Interface	USB, RS-232, Bluetooth (optional)
Flash	256KB
Power Adapter	9V DC/2A

## Paper Roll Installation



- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.

## Shipping and payment

1. EXPRESS: around 3-7 working days to arrive
2. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
3. By sea: depend on which destination port
4. T/T
5. Western Union
6. Escrow
7. L/C

## Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: [www.ocominc.com](http://www.ocominc.com), Together we quest for the best.

