Fábrica da impressora térmica da etiqueta de China

(modelo: OCBP-005)

Especificações:

Impressora Modelo	OCBP-005		
Resolução	203 DPI (8 pontos/mm)		
Método de impressão	Térmica direta		
Sensor de temperatura da cabeça	Varistor térmica		
Sensor de posição da cabeça	Micro switch		
Detecção de papel	Sensores fotoelétricos		
Velocidade de impressão	127 Mm/seg (máx.); 50.8 mm/seg (minutos)		
Imprimir largura	16 Mm a 82 mm		
Mídia	Mídia Tipo: rolo, etiquetas, etiquetas dobram-se, e assim por diante. Mídia Diâmetro: diâmetro interno: 25 milímetros; diâmetro: 80 mm		
Interno Fonte	Tipo 0 FONT 8; comumente usado em fontes de byte único		
Ampliar & Rotary	1-10 dobre a amplificação em várias direções; 0 graus, 90 graus, 180 graus, 270 graus, 360 graus de rotação		
Fora do tipo de papel	Rasgo & peeling		
Cartões de memória	2MB Flash ROM, 2MB de DRAM		
lmagem	Monocromático PCX, BMP arquivos de imagem podem ser carregados em Flash, DRAM		
Barras	Code128, EAN128, ITF, CODE39, Code93, EAN13, EAN13 + 2, EAN13 + 5, EAN8, EAN8 + 2, EAN8 + 5, Co, POSTNET, UPC-A, UPCA + 2, UPCA + 5, UPC-E, UPCE + 2, UPCE + 5, CPOST, MSI, MSIC, Plessey, ITF14, EAN14, PDF417, QR Code, DATMATRIX		
Interface	USB + RS232 + LAN ou USB		
Poder	Entrada: 24VDC, 2.5 a		
Ambiente	Temperatura de funcionamento: 5 graus c a 45 graus c Temperatura de armazenamento:-40 graus c a 55 graus c Umidade de funcionamento: 20% ~ 80%, non-condensing, ar livre Umidade do armazenamento: < = 93% (40 °C), non-condensing, ar livre		
Tamanho	Tamanho: D220mm * H148mm * W150mm		

Detalhes do produto:







Features


Simple but not easy

Support PDF417, QR CODE, DOTMATRIX;









Labels peel off, tear off automatically;





Support Serial, USB, LAN together;

amine com

All-round show









Application Area











Airline service

Warehouse

Clothes Store





Logistic freight



Bakery Shop



Parameter

Printer Model	OC8P-005	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NA
Resolution	203 DPI (8 dot/mm)	

Printing Method	Direct Thermal	
Printing head temperature sensor	Thermal sensitive resistance	
Printing head position sensor	Micro switch	
Paper exists detection	Photoelectric sensor	
Printing Speed	127 mm / sec (max); 50.8mm/sec (min)	
Printing Width	16 mm ~ 82 mm	
Media	Media Type: Paper roll, sticker, label fold, etc. Media diameter: Inner dia:25mm; Outer dia: 80 mm	
Internal font	FONT 0 to FONT 8; Commonly used in single-byte fonts	
Enlargement & rotation	1 to 10 times enlargement in both directions; 0°, 90°, 180°, 270°, 360° rotation	
Paper off type	Tear off & peel off	
Memory	2MB Flash Rom, 2MB DRAM	
Image	Monochromatic PCX, BMP image files can be load to FLASH, DRAM	
Barcode	CODE128, EAN128, ITF, Code39, Code93, EAN13, EAN13+2, EAN13+5, EAN8, EAN8+2, EAN8+ CODABAR, POSTNET, UPC-A, UPCA+2, UPCA+5, UPC-E, UPCE+2, UPCE+5, CPOST, MSI, MSI PLESSEY, ITF14, EAN14, PDF417, QR CODE, DATMATRIX	
Interface	USB+RS232+ LAN or USB	
Power	nput: 24VDC, 2.5A	
Environment	Operating Temperature: 5°C to 45°C Storage Temperature: -40°C to 55°C Operating Humidity: 20% ~80%, non-condensing, Free air Storage Humidity: ≤93%(40°C), non-condensing, Free air	
Dimension	Size: D220mm * H148mm *W150mm	

Production Line





Capacity

Verified	Product Name	Production Line Capacity	Actual Units Produced(Previous Year)
1	Thermal Printer	40,000 Sets / Month	250,000 Sets
1 000	Dot Matrix Printer	15,000 Sets / Month	10,000 Sets
1	Bluetooth Printer	30,000 Sets / Month	20,000 Sets
1	Barcode Scanner	40,000 Sets / Month	20,000 Sets
1	POS Machine	5,000 Sets / Month	10,000 Sets
1	Magnetic Card Reader and Writer	45,000 Sets / Month	50,000 Sets



Quality Assurance

OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfication.



Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHS and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

Test Equipments

Verified	Machine Name	Brand & Model No.	Quantity
1	Ageing Tester	No Information	6
V 500	Withstand Voltage Tester	CC2670A	1 3000
1	Oscilloscope	TBS1102	1
1	DC Power Supply	PS-305DM	6
1	Digital Torque Meter	HP100	1
1	Calliper	GUANGLU	2
1	Multi-meter	VC890D	7
1	Test Computer	No information	13

Certifications



Packing and Shipment





Payment





















Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.





Why you choose us?



Flexible Cooperation

Company Profile

This Assessed Supplier Has Been Independently Verified

Build Your Growth On Trust













OCOM Technologies Limited founded in 2007, it is one of leading suppliers of POS and Auto-ID related products from China.

OCOM's products portfolio covers Thermal Printer, Dot Matth. Printer, Barcode Printer, Barcode Scanner, Magnetic Card Reader, POS Terminal, and POS peripherals. Our products have passed CE, FCC, RoHS and other required certificates, and hot selling in Eruope, Australia, Asia, and other area.

OCOM has a professional teams including marketing, R&D, quality control; production and sales service. The management members have worked in the FORTUNE 500 companies as senior managers for many years, All of the sales have more than 5 years experience, which help us to meet and exceed the customers' satisfaction.

OCOM has been sticking to the quality system of ISO9001:2008. We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty. We have the mass production capabilities that produce thousands of printers and scanners a week. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

"Integrity based, Strive for excellence, Win-win cooperation". We would like establish stable and reliable partnerships with customers all over the world. OEM/ODM is welcome.





Contact us

Any queries, please contact us immediately, big supprise is waiting for you.

Sales Center:

Address: Unit 701, Block 14, Zhongxing Industrial Park, Chuangye Road, Nanshan District,

Shenzhen 518054, China;

Websites: http://www.possolution.com.cn; http://www.ocominc.com;

E-mail: ocom@ocominc.com , ocomtech@gmail.com ;

Skype: ocominc2000, ocominc;

MSN: ocomtech@hotmail.com, ocominc@hotmail.com;

Trademanager: szocominc, cn1500439666;

QQ: 2485890637,190852203; Tel/Fax: +86.755.8605.3207.



Documentos pertinentes:

Você quer saber mais informações que você?FavorClique aqui.

Especificação

OCBP-005 driver

Arquivos de CD