

# Mini usb barcode scanner a laser

(OCBs-LA11)

Feature:

- ✘ 1. Handheld código de barras a laserscanner com a função de detecção automática;
- 2. Flexível operação com 360 graus suporte de metal rotação;
- 3. Alta velocidade de varredura (100 leituras / seg) e distância de leitura de comprimento;
- Capacidade de decodificar 4. Excellent;
- 5. KBW, RS232 e USB com suporte;
- 6. Grey e preto Cor disponível

Especificação:

atuação Características	
Claro Fonte:	Visível a laser (650-670nm)
Digitalização Classificação:	100 scans por segundo
Leitura Distância	2.5 ~ 600 milímetros (100% UPC / EAN)
Tipo de Scanner:	Bi-direcional
Resolução:	0,10 milímetros (4mil) no PCS 0,9
Contraste de impressão Mínimo:	30%, reflexo mínimo diferença (@ 650nm)
Error Rate:	1/3000000
Decode Capacidade:	UPC / EAN, UPC / EAN com Suplementos, UCC / EAN128, código 39, código 39 ASCII completo, código 39 trioptic, código 128, código ASCII 128 completo, Codabar, Intercalado 2 de 5, discreto 2 de 5, código 93, MSI, código 11, ATA, variantes RSS, chinês 2 de 5 ...
Físico Características	
Interfaces suportadas:	PS2, RS232, USB
Tensão:	DC + 5V +/- 5%
Atual:	100 mA
Ocioso atual:	& lt; 40 mA
Fonte de energia:	Anfitrião poder ou externo (RS232) fonte de alimentação
Scanning Angle	Inclinação 45 ° 60 ° Elevação
Dimensões:	L165mm X W63mm X H87mm
Peso:	129g (sem suporte)
Ficar de pé	Opcional
Cor:	Cinza e preto
Do utilizador Ambiente	
Operating Temperatura:	0 °C ~ 40 °C
Armazenamento Temperatura:	-40 °C ~ 60 °C
Umidade:	5 ~ 95% de humidade relativa, sem condensação
Eletrostático Descarga:	Confirme a +/- Descarga de ar 15KV e +/- 8KV de descarga de contato
Solta Especificações:	Suporta 1.5m múltiplas quedas em concreto
Seguro:	
EMI / RFI:	FCC Classe A e CE

Segurança do Laser:

CDRH classe 2 produto a laser



**Product Picture**





## Features

**Simple but not easy**

Handheld laser barcode scanner with auto sense function;



Flexible operation with 360 degree



rotation metal stand;



High scan rate (100 scans/sec) and long reading distance;



Excellent decode capability;



KBW, RS232 and USB supported;



## All-round show





## Parameter

Performance Characteristics	
Light Source:	Visible laser (650-670nm)
Scan Rate:	100 scans per second
Reading Distance	2.5 ~600mm (100% UPC/EAN)
Scanner Type:	Bi-directional
Resolution:	0.10mm (4mil) at PCS 0.9
Print Contrast Minimum:	30%, minimum reflective difference (@650nm)
Error Rate:	1/3000000
Decode Capability:	UPC/EAN, UPC/EAN with supplementals, UCC/EAN128, code 39, code 39 full ASCII, code 39 trioptic, code 128, code 128 full ASCII, codabar, interleaved 2 of 5, discrete 2 of 5, code 93, MSI, code 11, ATA, RSS variants, Chinese 2 of 5...

<b>Physical Characteristics</b>	
Interfaces Supported:	PS2, RS232, USB
Voltage:	DC+5V+/-5%
Current:	100 mA
Idle Current:	<40 mA
Power Source:	Host power or external (RS232) power supply
Scanning Angle	Inclination 45° Elevation 60°
Dimensions:	L165mm X W63mm X H87mm
Weight:	129g (without stand)
Stand	Optional
Color:	Grey and black
<b>User Environment</b>	
Operating Temperature:	0°C~40°C
Storage Temperature:	-40°C~ 60°C
Humidity:	5~95% relative humidity, non-condensing
Electrostatic Discharge:	Confirm to +/-15KV air discharge and +/-8KV of contact discharge
Drop Specifications:	Withstands multiple 1.5m drops to concrete
<b>Safe:</b>	
EMI/RFI:	FCC Class A and CE
Laser Safety:	CDRH class 2 laser product

## Shipping and payment

1. 1. Air, Sea, Express(DHL, FedEx, UPS, EMS, TNT and so on)
2. EXPRESS: around 3-7 working days to arrive
3. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
4. By sea: depend on which destination port

5. T/T
6. Western Union
7. Escrow
8. L/C

## Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: [www.ocominc.com](http://www.ocominc.com), Together we quest for the best.

