

Mini Bluetooth para celular android portátil pos impressora de recibos térmica

(Modelo: OCPP-M082)

Especificações:

Dimensões (W x D x H)	98 x 103 mm x 45 mm
Peso	280 g
Cor	Preto
largura de impressão efectiva	72 mm
método de impressão	Linha Thermal Printing
comando de impressão	ESC / POS conjunto de instruções compatível
A velocidade de impressão	A 90mm / seg
Resolução	8 pontos / mm (203 dpi)
Font de impressão	Em 12x24 / 24x24 na
capacidade da coluna	48 / 24columns
tamanho dos caracteres	1,5 x 3,0 mm (largura x altura) / 3.0x3.0mm (largura x altura)
Tamanho do papel	Diâmetro de 80,0 mm ± 0,1 milímetros x30.0
Espessura do papel	De 0,06 a 0,08 mm
Conjunto de caracteres	Alfanumérico Texto / Chinês
Interface	USB, RS-232, Bluetooth (opcional)
Flash	256KB
Adaptador de energia	9V DC / 2A
Energia da bateria	DC / 2000 mA 7,4 V; bateria pode ficar em 4-5 dias, quando ela está cheia de força, ele pode imprimir 120-150m Papel
Outras características	detecção de papel, detecção de energia, manualmente desligar
Condições de trabalho	Temperatura: -10degreeC~50degreeC Umidade: 10%~90%
Condições de armazenamento	Temperatura: -20degreeC~70 degreeC Umidade: 5%~95%
Nome do dispositivo	Pode ser personalizado para seleccionar letras e números com até 30 caracteres ASCII.
Senha	código de emparelhamento de entrada padrão "1234"Ele pode ser personalizado. Máximo 6 digitais.
Tamanho da ficha de alimentação	3,5 * 1,1 mm

	P / N	Descrição
Quinformações dering	OCPP-M082-BB	Com o Bluetooth ea bateria, supprot Android
	OCPP-M082-BB-AI	Com o Bluetooth ea bateria, supprot Android e IOS
	OCPP-M082-UB	Com Barrery Comunicação USB,
	OCPP-M082-L	Comunicação USB, sem BT, bateria
	OCPP-M082-B	Bluetooth Comunicação, sem bateria
	OCPP-M082-UC	Comunicação USB, com carregador de carro
	OCPP-M082-BC	Comunicação Bluetooth com carregador de carro
	OCPP-M082-C	outro personalizado

Detalhes do produto:





Features

Simple but not easy

Support Windows, Android,
or iPhone OS;



Bluetooth, USB and
RS232 communication.

Battery charge indicator, easy to know rest power.



Higher print speed 90mm/sec.



100km TPH Life.





Low power consumption
and large capacity
Lithium battery.

All-round show





Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation,
Warehouse management, Delivery, Illegal Parking Ticket,
Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm

Delivery



Restaurant



Bus / Taxi Receipt



Traffic Citation



Overall Dimension (W×D×H)	98×103×45mm
Weight	280g
Color	Black
Effective print width	72mm
Print method	Thermal line printing
Print commands	ESC/POS/STAR compatible command set
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12x24/ 24x24
Column capacity	48 columns/24 columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(W x H)
Paper dimensions	80.0±0.1mm x diameter 30.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji ASCII Font A:12×24 Font B: 9x17 Korean code page 949
Communication Interface	USB/RS-232, Bluetooth
Flash	256KB
Power Adapter	9V DC/1.5A
Battery Power	7.4V DC/ 2000mA; battery can stay by for 4-5 days, when it is full power, it can print 120-150m paper
Other features	Paper detection, power detection, Manual shut down
	Temperature:-10 degC ~ 50 degC.Humidity:10% ~

Working conditions	90%
Storage conditions	Temperature:-20 degC ~ 70 degC, Humidity:5% ~ 95%
Device name	Can be customized, letter and digital for option, at max 30 ASCII characters.
Password	Enter default pairing code "1234", it can be customized. At max 6 digitals.
Power plug dimension	3.5*1.1mm

Paper Roll Installation



- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.

Shipping and payment

1. Air, Sea, Express(DHL, FedEx, UPS, EMS, TNT and so on)
2. EXPRESS: around 3-7 working days to arrive
3. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
4. By sea: depend on which destination port
5. T/T
6. Western Union
7. Escrow
8. L/C

Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com,
Together we quest for the best.



Documentos relevantes:

- *[ESPECIFICAión](#)
- *[manual do programa](#)
- *[Manual de instruções](#)
- *[Driver para WinXP Win2000 WinVista Win7 Win8-32bit](#)
- *[Driver para Win7 Win8-64bit](#)
- *[Driver para Linux](#)
- *[Parâmetros de configuração da impressora Ferramentas](#)
- *[Printdemo USB\(Aplicação de demonstração Software\)](#)
- *[Printdemo Bluetooth\(Aplicação de demonstração Software\)](#)
- *[SDK para Android](#)
- *[CD Arquivos](#)