# OCBs-W230: scanner de código de barras de alta velocidade sem fio Bluetooth 2D portátil

### parâmetros:

fonte de luz com o objetivo	617 nm LED				
iluminação	625 nm LED				
ângulo de varredura	39 ° (A) × 25 ° (V)				
Ângulo de rotação	0 ~ 360 °				
elevação	± 65 °				
ângulo de inclinação	± 60 °				
contraste de	Mais do que 25%				
impressão					
1D	UPC / EAN, UPC / EAN com Suplementos, BooklandEAN, ISSN, UCC Coupon Extensão Código, Code128, GS1-128, ISBT 128, Código 39, Código 39 Full ASCII, Trioptic Code 39, Code 32, Code 93, code11, Matrix 2 de 5, Intercalado 2 de 5, Discrete 2of 5, Codabar, MSI, chinês 2 de 5, GS1 Dados Barvariants, coreano 3 de 5, ISBT Concat				
2D		PDF417, MicroPDF417, códigos compostos, TLC-39, Data Matrix, Maxicode, QR Code, MicroQR, Aztec			
interface	USB				
distância de	433MHz: inside: 100m; exterior: 300m (máximo)				
comunicação	Bluetooth: Interno: 10m;	exterior: 20m (máximo)			
temperatura de operação	-10 °C -45 °C	-10 °C -45 °C			
A temperatura de armazenamento	-20 °C -65 °C				
umidade	5% -85%				
umidade de armazenamento	5% -95%				
durabilidade	Ele pode suportar o impacto de queda a 1,8 metros acima do chão de concreto				
potência de entrada	DC 5V, 350mA				
iluminação	Interno: 3.000 máxima Ll	JX; sol ao ar livre: máxir	na 86000LUX		
EMC	EN50081, par1 padrão				
FCC	EN50082, par1 padrão				
classificação IP	IP42				
faixa de decodificação	•				
Desempenho típico * gama de fur		gama de funcioname	a de funcionamento típica		
	HD Faixa de Foco				
Tipo de código de barras	densidade símbolo	perto	longe		
código 39	5.0 mil	5 milímetros	90 milímetros		
100% UPCA	13,0 mil	8 milímetros	200 milímetros		
código 39	20,0 mil 8 milímetros 250 milímetros				
PDF 417	6,8 mil 5 milímetros 95 milímetros				

Data Matrix	10,0 mil	5 milímetros	110 milímetros	
código bidimensional	20,0 mil	10 milímetros	150 milímetros	
No. 39 resolução 1D	2,8 milésimos de polegada (0,071 milímetro)			
matriz de dados resolução 2D	4,8 milésimos de polegada (0,122 milímetro)			
material	ABS + PC			
tamanho	95x65x155mm			
peso líquido	160g			
Dentro do tamanho da caixa:	$18,2 \times 11,7 \times 11,2$ centímetros			
peso caixa interna:	374g			





# Reliable with good price

Wireless communication distance outdoor 300m, indoor 100m





Soft plastic cover to protect the lens and outline greatly enhances the anti-drop performance.

Barcode on computers' and mobile phones' screen can be scanned



No drive, plug and play; can store more than 50,000 pieces of data;

Multiple scanners can be connected to one receiver.

Application place



Bookstore




Supermarket



Pharmacy



Warehouse






Restaurant

# Product size





ntr

Parameter			
	Physical Characteristics		
Dimension	95x65x155mm		
Material	ABS+PC		
Net Weight	160g		

- C	V	Optical Performa	nce	
Aiming Light Source	617 nm LED			
Lighting Light Source	625 nm LED			
Scanning Angle	39° (H	x 25° (V)		, 0v
Rotation Angle	0 - 360	· '\M.		-0,01,
Elevation Angle	± 65°	VI, J.	(4)	1.
Tilt Angle	± 60°			
Print Contrast	Higher	than 25%		
1D	Coupo FullAS( Interle	n Extended Code, Code1 CII, Trioptic Code 39, Co	pplementals, BooklandEAN, II 28, GS1-128, ISBT 128, Code 39 de 32, Code 93, Code11, Matr of 5, Codabar, MSI, Chinese 2 ISBT Concat	), Code 39 rix 2 of 5,
2D	PDF41	7, MicroPDF417, Compos	ite Codes, TLC-39,Data Matrix,	Maxicode,
	QR Co	de, MicroQR, Aztec		
Interface	USB			
Communication distance	Inside:	100m; Outside: 300m	(Max)	
Operating Temperature	-10°C	-45℃	of Medical Control	
Storage Temperature	-20°C	-65°C	Min	- 00
Operating Humidity	5%-85%			
Storage Humidity	5%-95%			
Durability	Withstands multiple 1.8m drops to concrete			
Input Power	DC 5V,	350mA		
Lumination	Inside:	3.000 LUX max; Outs	ide sunlight: 86000LUX max	
EMC	EN500	81, par1 standard		
FCC	EN500	82, par1 standard		
IP Grade	IP42			
		DECODE RANGI	ES	ene
Typical Performance*			Typical Working Ranges	
			HD Focus Range	
Bar Code Type		Symbol Density	Near	Far
Code 39	A	5.0 mil	5mm	90mm
100% UPCA	· Ohr	13.0 mil	8mm	200mm
Code 39	ν.	20.0 mil	8mm	250mm
PDF 417		6.8 mil	5mm	95mm
Data Matrix		10.0 mil	5mm	110mm
QR Code		20.0 mil	10mm	150mm
Resolution 1D Code 39		-1/1/4	2.8 mil (0.071mm)	AV I
Resolution 2D Data Matrix		- 7/1	4.8 mil (0.122mm)	



OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction.

Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHs and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

#### **Test Equipments:**

✓ Indicates information has been verified onsite by a certification specialist.

#### **Test Equipment and Facilities**

ntity

Verified by TUV on 2013.7.15

#### Certification:









#### Warranty and After Sales:

- All products' warranty are not less than 12 month, some models even up to 24 months warranty.
- Spare parts will be provided for mass orders for customers' local maintenance.
- Any product found to be defective within 30 days of shipment shall be deemed Dead on Arrival (DOA). DOA products will be advance replaced and shipped via express.
- Have distributors or authorized agents in the main market who can provide local repair and replacement services.
- Professional CRM management insures fast respond for customer's enquiries and orders tracking.
- Sales with many years experience in foreign trade, proficient in foreign languages and strong sense of responsibility.
- 7\*24 hours online, responds with 12 hours in working days, and within 24 hours for rest days.





















## Payment:









secure payment







### **Customers Reference**

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.



### produtos similares

máquina de código de verificação	http://www.ocominc.com/products/2D-Barcode-Scanner.htm
Sem fio Barcode Scanner	http://www.ocominc.com/products/Wireless-Barcode-Scanner.htm
de código de barras laser portátil	http://www.ocominc.com/products/Handheld-Laser-Barcode-Scanner.htm
código de barras omnidirecional	http://www.ocominc.com/products/Omni-Directional-Barcode-Scanner.htm
CCD Barcode Scanner	http://www.ocominc.com/products/CCD-Barcode-Scanner.htm

### carteira OCOM:

impressora térmica	http://www.ocominc.com/products/thermal-receipt-printer.htm
impressoras de etiquetas de código de barras	http://www.ocominc.com/products/Barcode-label-printer-2.htm
impressora matricial	http://www.ocominc.com/products/Dot-matrix-printer-2.htm
máquina de código de verificação	http://www.ocominc.com/products/Barcode-Scanner.htm
Coletor de dados	http://www.ocominc.com/products/Data-Terminal.htm
terminal POS portátil	http://www.ocominc.com/products/Portable-POS-Terminal.htm
máquinas POS uma máquina	http://www.ocominc.com/products/All-in-one-POS-Machine.htm
POS monitor de	http://www.ocominc.com/products/POS-Monitor.htm
teclado POS	http://www.ocominc.com/products/POS-Keyboard.htm
Exibição do cliente	http://www.ocominc.com/products/Customer-Display.htm
gaveta	http://www.ocominc.com/products/Cash-Drawer.htm
contador de dinheiro	http://www.ocominc.com/products/Money-Counter.htm
leitor de cartão magnético DE	http://www.ocominc.com/products/Card-Reader-Writer.htm
Barcode Zoom	http://www.ocominc.com/products/Electronical-Scale.htm
outro	http://www.ocominc.com/products/Other.htm

### Company Profile




# TRADE ASSURANCE

- ●100% money refund for Late shipment&Quality problem
- Guarantee on-time delivery
- Third-party pre-shipment quality inspection (Optional)
- No transaction commission charged
- The HIGHEST assurance amount guaranteed by alibaba
- in the Auto-ID and POS industry .



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers, Thermal Printer, Barcode printer, Dot Matrix Printer, Barcode Scanner, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs. OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com,

Together we quest for the best.















# Contact us

Any queries, please contact us immediately, big supprise is waiting for you.

#### Sales Center:

Address: 4/F, Block 10, Zhongxing Industrial Park, Chuangye Road, Nanshan

District, Shenzhen 518054, China

Website: www.ocominc.com www.possolution.com.cn;

E-mail: sales15@ocominc.com Tel: 0086.755.86053207-815; Fax: 0086.755.86053207-868;

QQ: 210852908;

Wechat: ocomsales15;

Whatsapp: +0086.189.4879.9080;