

Características:

Suporte Windows, JAVA, Android, IOS ou Android + IOS OS;
USB, comunicação RS-232, Bluetooth (opcional);
Indicador de carga da bateria para facilitar o acesso à energia restante.
Modifique o nome da impressora Bluetooth e senha online;
Suporte a código QR;
Maior velocidade de impressão de 90 mm / seg.
100 km de vida da TPH;
Baterias de lítio de baixa potência e grande capacidade;
Adaptador de energia padrão para carregadores de carro.

Especificações do produto:

Dimensões (largura x profundidade x altura)	105 x 75 x 45 mm
Peso	134 gramas
Cor	Preto
Largura de impressão efetiva	48 mm
Método de impressão	Impressão hot line
Ordem de impressão	Conjunto de comandos compatível ESC / POS
Velocidade de impressão	Até 90 mm / seg
Resolução	8 pontos / mm (203dpi)
Fonte de impressão	12x24 / 24x24
Capacidade da coluna	32 colunas / 16 colunas
Tamanho do personagem	1,5 x 3,0 mm (largura x altura) / 3,0 x 3,0 mm (largura x altura)
Tamanho do papel	58,0 ± 0,1 mm x diâmetro 40,0 mm
Espessura do papel	0,06 a 0,08 mm
Conjunto de caracteres	Caracteres alfanuméricos / chineses
Interface	USB, RS-232, Bluetooth (opcional)
Flash	256 KB
Adaptador de energia	9V DC / 2A
Energia da bateria	7.4V DC / 1500mA, a bateria pode durar de 4-5 dias, quando está com potência máxima, pode imprimir 120-150 metros de papel
Outros recursos	Deteccção de papel, deteccção de energia, desligamento manual
Ambiente de trabalho	Temperatura: -10 ° C ~ 50 ° C, umidade: 10% ~ 90%
Condição de armazenamento	Temperatura: -20 ° C ~ 70 ° C, umidade: 5% ~ 95%
Nome do dispositivo	Opções personalizáveis, alfa e numéricas, até 30 caracteres ASCII.



58mm Bluetooth Thermal Printer for Andorid or IOS system

OCPP-M03



Product Picture





Features

Simple but not easy

Battery charge indicator, easy to know rest power.



Higher print speed 90mm/sec



Support Windows, Android, or iPhone OS;
Bluetooth, USB and RS232 communication



Higher print speed 90mm/sec.
100km TPH Life



Low power consumption and large capacity Lithium battery.



All-round show





Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation, Warehouse management, Delivery, Illegal Parking Ticket, Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm



Parameter

Overall Dimension (W×D×H)	105×75×45mm
Weight	134g
Color	Black
Effective print width	48mm
Print method	Thermal line printing
Print commands	ESC/POS compatible command set
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12x24/ 24x24
Column capacity	32 columns/ 16columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)
Paper dimensions	58.0±0.1mm x diameter 40.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji
Interface	USB, RS-232, Bluetooth (optional)
Flash	256KB
Power Adapter	9V DC/2A

Paper Roll Installation



- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.

Shipping and payment

1. EXPRESS: around 3-7 working days to arrive
2. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
3. By sea: depend on which destination port
4. T/T
5. Western Union
6. Escrow
7. L/C

Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com,
Together we quest for the best.





Monica Fu



OCOM Technologies Limited

Add: 4/F, Block10, Zhongxing Industrial Park, Chuangye Road, Nanshan District, Shenzhen 518054, China

Tel: 0086.755.8605.3207 ext 801

Fax: 0086.755.8605.3207 ext 868

Web: www.ocominc.com

E-mail: sales01@ocominc.com, sales01@ocomtech.com.cn

Skype: ocomsales01; **MSN:** ocomsales01@hotmail.com

Ali TM: cn1001868228; **QQ:** 1483705401

Mobile/Wechat/Whatsapp: 0086.189 4871 3992



Reliable One-Stop Supplier for POS and Auto-ID Related Products