POS-D11.6 All in One pos terminal touch screen Android tablet POS with thermal printer

(M/N:POS-D11.6-W/A)

Features:

Windows or Android operating system for optional;

Intel Apollo N3450 Quad core 2.0GHz CPU for Windows system;

MT6797 Decuple core 2.3GHz CPU for Android system;

4GB RAM+64GB SSD standard (Windows);

3GB RAM+64GB eMMC standard(Android);

11.6 inch Multi-point capacitive touch screen;

58mm or 80mm thermal printer Stand for Optional.

Applications:

Catering: hotel, restaurant, fast-food restaurant, coffee shop, bakery and cake shop

Retailer: Business Street, boutique, department store, cosmetics shop and high-class barbershop

Recreation: sauna, spa, night club, theme park, casino and point of sales for lottery ticket

Commercial: information management terminals for parking lot, inn, aviation, subway, station and wharf

Parameter:

Model	POS-D11.6-W/POS-D11.6-A
Main Board①	Intel Apollo N3450 Quad core 2.0GHz CPU (Windows)
Main Board②	CPU:MT6797/GPU:T880 780MHz Decuple core
OS①	Windows7(Beta)
OS②	Android 8.0
Memory①	4GB RAM +64GB SSD (Windows)
Memory②	3GB RAM +64GB eMMC (Android) ,can up to 4GB RAM
Touch Screen	Multi-point capacitive touch
Screen Size	11.6 inch,16:9
Resolution	1920*1080P high resolution screen
Battery	7000mAh
Color	Silver
Printer	58mm big gear thermal printer or 80mm thermal printer with Auto cutter (Optional)
interface①Windows	USB/HDMI/USB-A*2

interface(②Android)	TYPE-C /HDMI/ USB-A*2 /3.5mm jack/TF solt
Operating temperature	0℃ to 40℃
Other Function (Android)	GSM□B2/3/5/8 CDMA1X: BC0 WCDMA□B1/2/5/8 CDMA2000□BC0 TD-SDMA:B34/39 FDD-LTE□B1/3/4/5/7//20 TDD-LTE□B38 39 40 41 Bluetooth4 .0+EDR WIFI 802.11 a/b/g/n/ac
Optional Multifunction Stand	Conventional: DC Port, USB2.0x3, RJ45X1 , 58/80 printer Paper diameter≤60mm, Optional:MSR/Finger Print/RFID/RS232
Storage temperature	-20℃to 60℃
Power adapter	110-240V/50-60HZ AC power Input, 12/24V output depending on the printer

Decuple core processor 2.3GHz, 3GB RAM+64GB eMMC for Andriod
Intel Apollo N3450 Quad core 2.0GHz CPU, 4GB RAM+64GB SSD for Windows

90° Adjustable View

Detachable Tablet

Optional Function

Aocom®

At your side

POS-D11.6

ISO FC CE RoHS

Aocom®

At your side

POS-D11.6

ISO FC CE RoHS

Aocom®

At your side

POS-D11.6

ISO FC CE RoHS

Aocom®
At your side
POS-D11.6
ISO FC CE RoHS

Aocom®

At your side

POS-D11.6

ISO FC CE RoHS

Aocom®

At your side

POS-D11.6

ISO FC CE RoHS

Aocom®

At your side

POS-D11.6

ISO FC CE RoHS

Aocom®

At your side

POS-D11.6

ISO FC CE RoHS

Aocom®

At your side

POS-D11.6

ISO FC CE RoHS

Aocom®

At your side

POS-D11.6

ISO FC CE RoHS

Aocom®
At your side

POS-D11.6

ISO FC CE RoHS

Aocom®
At your side

POS-D11.6

ISO FC CE RoHS

Aocom®
At your side

POS-D11.6

ISO FC CE RoHS

Aocom®
At your side
POS-D11.6
ISO
FC
CE
RoHS

Aocom®
At your side
POS-D11.6
ISO FC CE RoHS

Aocom®

At your side

POS-D11.6

ISO FC CE RoHS

Aocom®
At your side

POS-D11.6

ISO FC CE RoHS

Aocom®
At your side

POS-D11.6

ISO FC CE RoHS

Aocom®

At your side

POS-D11.6

ISO FC CE RoHS

Aocom®

At your side

POS-D11.6

ISO FC CE RoHS

Aocom®
At your side

POS-D11.6

ISO FC CE RoHS

Aocom®
At your side

POS-D11.6

ISO FC CE RoHS

Aocom®
At your side

POS-D11.6

ISO FC CE RoHS