# MHz sem fio RF433 portátil PDA Balanço Terminal industrial (Modelo: OCBs-D007)

### **Especificação:**

| Características de desempenho  |   |  |
|--------------------------------|---|--|
| Fonte de luz                   | Laser de 650nm  |  |
| Modelo de Digitalização        | Linha única   |  |
| Largura & amp varredura;       | 220 milímetros / 0 ~ 250 milímetros (0,33 milímetros, PCS   |  |
| campo                          | 90%)  |  |
| Interface                      | A configuração padrão mini receptor USB; RS232 e PS2 opcional   |  |
| Taxa de varredura              | 48 ± 2 varredura / segundo  |  |
| Error Rate                     | 1/5000000   |  |
| Forma de trabalho              | Rastreamento disparado ou automático (modo contínuo)  |  |
| Ângulo de leitura              | Parcela de 30 ° / Roll 65 ° / Yaw 55 °  |  |
| Códigos de barras suportados   | EAN-8, EAN-13, UPC-A, UPC-E, Code 39, Code 93, Code 128, EAN128, Codaber, Industoal 2of 5, Interleave folhas em branco 2of5, Matrix folhas em branco 2of5, MSI etc. |  |
| Indicador                      | Bip, display LCD  |  |
| Características Físicas        |   |  |
| Tela                           | 2.8 polegadas, 10 * 10 linhas; Resolução: 320 * 240   |  |
| Dimensões                      | Terminal: 160x68x29mm; Receptor: 52x20x10mm   |  |
| Material                       | ABS + sílica  |  |
| RAM                            | 16M   |  |
| Cor                            | Preto ou Cinzento   |  |
| Características de comunicação |   |  |
| Freqüência                     | 433MHZ  |  |
| Modulação                      | GFSK  |  |
| Distância de transmissão       | Distância em linha reta Visual 300 metros (Max)   |  |
| Taxa de transmissão            | 200Kbps   |  |
| Característica elétrica        |   |  |
| Bateria                        | Li-recarregável (3.7V, 2800mAh)   |  |
| EMI / RFI:                     | CE & amp; o cumprimento FCC DOC   |  |
| Corrente de trabalho           | 50mA  |  |
| Ambiente                       |   |  |
| Temperatura da operação        | 0 Grau C ~ 45 graus C   |  |
| Temperatura de armazenamento   | -20 Graus C ~ 60 graus C  |  |
| humidade relativa              | 5% ~ 95% (sem condensação)  |  |
| luminosidade do ambiente       | Max 5,000Lux  |  |
| Como encomendar                |   |  |
| OCBs-D007                      | Balanço Terminal 433MHz sem fio portátil  |  |
| OCBs-D107                      | Cabo USB portátil Stocktaking Terminal  |  |

### **Detalhes do produto:**





## Simple but not easy

2.8" color display, menu with image for easy operation;





Wireless Version: wireless and storage technology, no restriction of distance;



Suitable for overall process of the commodity circulation including receiving, shipping, stocktaking, loss repot, replenishment etc;



the barcode;



and show product name after scanned



### All-round show

















### Application Area

Commercial: handheld mobile POS, chains / stores / counters data acquisition, shoes ordering, card management, bill management

Commonality: mobile government, mobile police, population information management,postal management,library management

Logistics: warehouse management, product traceability, picking medicine distribution, logistics and express, logistics and distribution

Industry: production process management, forestry data collection,

three meter reading, fixed asset management,







### **Parameter**

| Performance Characteristics |  |
|-----------------------------|--|
| Light source                | 650nm laser  |
| Scan Model                  | Single line  |
| Scan width & field          | 220mm/0~250mm (0.33mm, PCS 90%)                                  |
| Interface                   | Standard configuration mini USB receiver; RS232 and PS2 optional |
| Scan rate                   | 48±2 scan/second   |
| Error Rate                  | 1/5,000,000  |
| Working way                 | triggered or automatic (continuous mode) scanning                |
| 20 1                        |  |

| Scan angle               | Prtch 30"/ Roll 65"/Yaw 55"  |  |  |
|--------------------------|--|--|--|
| Supported barcodes       | EAN-8,EAN-13,UPC-A,UPC-E,Code 39,Code 93,Code 128,EAN128,Codaber,<br>Industoal 2of 5,Interleave 2of5,Matrix 2of5, MSI etc. |  |  |
| Indicator                | Beeper, LCD display  |  |  |
| Physical Characteristi   | cs   |  |  |
| Screen                   | 2.8 inch, 10*10 lines; resolution: 320*240   |  |  |
| Dimensions               | Terminal: 160x68x29mm; Receiver: 52x20x10mm  |  |  |
| Material                 | ABS+ silica  |  |  |
| RAM                      | 16M  |  |  |
| Color                    | Black or Grey  |  |  |
| Communication Chara      | icteristics  |  |  |
| Frequency                | 433MHZ   |  |  |
| Modulation               | GFSK   |  |  |
| Transmission Distance    | Visual straight line distance 300 meters (Max)   |  |  |
| Transmission rate        | 200Kbps  |  |  |
| Electric Characteristic  | 8  |  |  |
| Battery                  | Li-Battery (3.7V, 2800mAh)   |  |  |
| EMI/RFI:                 | CE&FCC DOC compliance  |  |  |
| Working Current          | 50mA   |  |  |
| Environment              |  |  |  |
| Operation<br>Temperature | 0 Degree C~45 Degree C   |  |  |
| Storage Temperature      | -20 Degree C ~60 Degree C  |  |  |
| relative humidity        | 5%~95% (non-condensing)  |  |  |
| ambient brightness       | Max 5,000Lux   |  |  |
| Ordering Information     |  |  |  |
| OCBS-D007                | 433MHZ Wireless Portable Stocktaking Terminal  |  |  |
| OCBS-D107                | USB Cable Portable Stocktaking Terminal  |  |  |

## Production Line





# Capacity

| Verified | Product Name                    | Production Line Capacity | Actual Units Produced(Previous Year) |
|----------|---------------------------------|--------------------------|--------------------------------------|
| 1        | Thermal Printer                 | 40,000 Sets / Month      | 250,000 Sets                         |
| 1 500    | Dot Matrix Printer              | 15,000 Sets / Month      | 10,000 Sets                          |
| 1        | Bluetooth Printer               | 30,000 Sets / Month      | 20,000 Sets                          |
| 1        | Barcode Scanner                 | 40,000 Sets / Month      | 20,000 Sets                          |
| 1        | POS Machine                     | 5,000 Sets / Month       | 10,000 Sets                          |
| 1        | Magnetic Card Reader and Writer | 45,000 Sets / Month      | 50,000 Sets                          |



### Quality Assurance

OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfication.



Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHS and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

### Test Equipments

| Verified | Machine Name             | Brand & Model No. | Quantity |
|----------|--------------------------|-------------------|----------|
| 1        | Ageing Tester            | No Information    | 6        |
| A -CO.   | Withstand Voltage Tester | CC2670A           | 1 30076  |
| 1        | Oscilloscope             | TBS1102           | 1        |
| V        | DC Power Supply          | PS-305DM          | 6        |
| V        | Digital Torque Meter     | HP100             | 1        |
| 1        | Calliper                 | GUANGLU           | 2        |
| 1        | Multi-meter              | VC890D            | 7        |
| 1        | Test Computer            | No Information    | 13       |
|          |                          |                   |          |

### Certifications



### Packing and Shipment





### Payment

Delica Co.



















### Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.





### Why you choose us?



Flexible Cooperation

### Company Profile

# This Assessed Supplier Has Been Independently Verified

Build Your Growth On Trust













OCOM Technologies Limited founded in 2007, it is one of leading suppliers of POS and Auto-ID related products from China.

OCOM's products portfolio covers Thermal Printer, Dot Matthe Printer, Barcode Printer, Barcode Scanner, Magnetic Card Reader, POS Terminal, and POS peripherals. Our products have passed CE, FCC, RoHS and other required certificates, and hot selling in Eruope, Australia, Asia, and other area.

OCOM has a professional teams including marketing, R&D, quality control, production and sales service. The management members have worked in the FORTUNE 500 companies as senior managers for many years, All of the sales have more than 5 years experience, which help us to meet and exceed the customers' satisfaction.

OCOM has been sticking to the quality system of ISO9001:2008. We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty. We have the mass production capabilities that produce thousands of printers and scanners a week. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

"Integrity based, Strive for excellence, Win-win cooperation". We would like establish stable and reliable partnerships with customers all over the world. OEM/ODM is welcome.





### Contact us

Any queries, please contact us immediately, big supprise is waiting for you.

Sales Center:

Address: Unit 701, Block 14, Zhongxing Industrial Park, Chuangye Road, Nanshan District,

Shenzhen 518054, China;

Websites: http://www.possolution.com.cn; http://www.ocominc.com;

E-mail: ocom@ocominc.com , ocomtech@gmail.com ;

Skype: ocominc2000, ocominc;

MSN: ocomtech@hotmail.com, ocominc@hotmail.com;

Trademanager: szocominc, cn1500439666;

QQ: 2485890637,190852203; Tel/Fax: +86.755.8605.3207.



### **Documentos relevantes:**

Você quer saber mais produtos informação?Por favor Clique aqui.

✓

**Especificação** 

Manual do usuário

OCBs-D007 64bits motorista receptor

OCBs-D007 32bits motorista receptor

OCBs-D007 PC Aplicação

SDK OCBs-D007 (DLL2.0)