

# mini varredor do código de barras do laser do usb 2d do supermercado

(Modelo: OCBS -2008)

Tecnologia de imagem de alto desempenho;  
Digitalização omnidirecional, fácil de digitalizar;  
Pode ler o código de barras na tela e código de barras colorido;  
4mil excelente precisão de digitalização;  
Configuração de função multi especial suportada;  
Interfaces múltiplas opcionais;  
Fique por opção.

## Características de desempenho

Função		
Fonte de luz	LED branco	
Bip	Suportado	
Ficar de pé	Opcional	
Indicador	LED verde, bipe	
Desempenho de digitalização		
Sensor	CMOS	
Resolução	640 * 480,256 níveis de cinza	
Velocidade máxima de decodificação	13mil UPC 40cm / s	
Ângulo de leitura	horizontalmente 50 graus; verticalmente 20 graus	
Precisão	≥4mil	
Capacidade de decodificação	1D	UPC-A, UPC-E, UPC-E1, EAN-13, EAN-8, ISBN (Bookland EAN), ISSN, Código 39, Código 39 completo ASCII, Código 32, Trioptic Code 39, Interleaved 2 de 5, Industrial 2 de 5 (Discreto 2 de 5), Matriz 2 de 5, Codabar (NW7), Código 128, UCC / EAN 128 (GS1-128), ISBT 128, Código93, Código 11 (USD-8), MSI / Plessey
	2D	PDF417, MicroPDF417, Código QR, DataMatrix, Código Han Xin, Código Asteca, GS1 Com pos ite
Profundidade de campo	Código 39 (5mil) □ 50mm ~ 120mm Código 39 (10mil): 25mm ~ 250mm UPC / EAN (13mil): 20mm ~ 320mm Data Matrix (7,5mil): 63mm ~ 150mm PDF417 (6.6mil): 62mm ~ 145mm	
Sensibilidade	Inclinação ± 45 ° @ 0 ° Rolo e 0 ° Inclinação Rotação ± 30 ° @ 0 ° Pitch e 0 ° Skew Deflexão ± 45 ° @ 0 ° Rolo e 0 ° Inclinação	
Elétrico		
Interface	USB, COM USB (porta serial virtual)	
Tensão de entrada	3,3 v ~ 5 v DC	
Potência Padrão	2,0 w (400 mA)	
Poder maximo	2,5 w (450 mA)	
Adaptador DC	Max 5,5 V 1A	
CLASSE DE LED	Classe I	
Teste EMC	FCC part15, IEC60825-1, EN55022 Classe B	
Ambiente do usuário		
Opere a temperatura	-20 graus C ~ +60 graus C (-4 graus F a 144 graus F)	
Temperatura de armazenamento	-30 graus C ~ +70 graus C (-22 graus F a 158 graus F)	
Umidade	5% - 95% (sem condensação)	
Resistência à queda:	1,5 m (5,5 pés) de gotas no concreto	
Classe IP	IP54	
Intensidade da luz	Trabalhando: luzes do sol, luzes fluorescentes	
Física		
Dimensões	156 * 68 * 83mm	
Peso	195 g (sem suporte)	
Dimensão do pacote	48 * 36 * 47CM (20pcs com carrinho 13.5KG)	
	48 * 39 * 52 CM (30 pcs sem suporte 15 KG)	



# Handheld Image Scanner for 1D/2D Barcode

## OCBS-2008



### Product Picture



### Features

**Reliable with good price**

- High performance imaging technology;  
Omni-directional scanning, easy to scan;



- 4mil excellent scanning accuracy ;  
Can read the barcode on the screen  
and color barcode;









Multi special function setting supported;  
SDK/API Available;



Multi interfaces optional;  
Stand for option.



## Application place



Bookstore



Supermakte



Pharmacy



Warehouse



Clothing store



Restaurant



## Parameter

Function		
Light source	White LED	
Beep	Supported	
Stand	Optional	
Indicator	Green LED, beep	
Scan performance		
Sensor	CMOS	
Resolution	640*480,256 gray levels	
Maximum decoding speed	13mil UPC 40cm/s	
Reading angle	horizontally 50 deg; vertically 20 Deg	
Precision	≥4mil	
Decode capability	1D	UPC-A, UPC-E, UPC-E1, EAN-13, EAN-8, ISBN (Bookland EAN), ISSN, Code 39, Code 39 full ASCII, Code 32, Trioptic Code 39, Interleaved 2 of 5, Industrial 2 of 5 (Discrete 2 of 5), Matrix 2 of 5, Codabar (NW7), Code 128, UCC/EAN 128 (GS1-128), ISBT 128, Code93, Code 11 (USD-8), MSI/Plessey
	2D	PDF417, MicroPDF417, QR Code, DataMatrix, Han Xin Code, Aztec Code, GS1 Composite
Depth of field	Code 39(5mil): 50mm~120mm Code 39(10mil): 25mm~250mm UPC/EAN (13mil): 20mm~320mm Data Matrix(7.5mil): 63mm~150mm PDF417(6.6mil): 62mm~145mm	
Sensitivity	Inclination ±45° @0°Roll and 0°Skew Rotation ±30° @0°Pitch and 0°Skew Deflection ±45° @0°Roll and 0°Skew	
Electrical		
Interface	USB,USB COM(virtual serial port)	
Input Voltage	3.3v~5v DC	
Standard Power	2.0w (400mA)	
Max Power	2.5w (450mA)	
DC adapter	Max 5.5V 1A	
LED CLASS	Class I	
EMC Test	FCC part15,IEC60825-1,EN55022 Class B	
User Environment		
Operate Temperature	-20 deg C ~ +60 deg C (-4 Deg F to 144 deg F)	
Storage Temperature	-30 deg C ~ +70 Deg C (-22 Deg F to 158 deg F)	
Humidity	5% - 95%(non- condensation)	
Drop resistance:	1.5m (5.0ft) drops to concrete	
IP class	IP54	
Light intensity	Working: sun lights, fluorescent lights	
Physical		
Dimensions	156*68*83mm	
Weight	195 g (without stand)	
Package dimension	48*36*47CM (20pcs with stand 13.5KG)	
	48*39*52CM (30pcs without stand 15KG)	

**Production Capacity:**

✓ Indicates information has been verified onsite by a certification specialist

### Production Capacity

Verified	Product Name	Production Line Capacity	Actual Units Produced(Previous Year)
✓	Thermal Printer	40,000 Sets / Month	250,000 Sets
✓	Dot Matrix Printer	15,000 Sets / Month	10,000 Sets
✓	Bluetooth Printer	30,000 Sets / Month	20,000 Sets
✓	Barcode Scanner	40,000 Sets / Month	20,000 Sets
✓	POS Machine	5,000 Sets / Month	10,000 Sets
✓	Magnetic Card Reader and Writer	45,000 Sets / Month	50,000 Sets

Verified by TUV on 2013.7.15

## Quality Assurance:



OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction.

Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHs and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

## Test Equipments:

✓ Indicates information has been verified onsite by a certification specialist

### Test Equipment and Facilities

Verified	Machine Name	Brand & Model No.	Quantity
✓	Ageing Tester	No Information	6
✓	Withstand Voltage Tester	CC2670A	1
✓	Oscilloscope	TBS1102	1
✓	DC Power Supply	PS-305DM	6
✓	Digital Torque Meter	HP100	1
✓	Calliper	GUANGLU	2
✓	Multi-meter	VC890D	7
✓	Test Computer	No Information	13

Verified by TUV on 2013.7.15

## Certification:




## Warranty and After Sales:



- ▶ All products' warranty are not less than 12 month, some models even up to 24 months warranty.
- ▶ Spare parts will be provided for mass orders for customers' local maintenance.
- ▶ Any product found to be defective within 30 days of shipment shall be deemed Dead on Arrival (DOA). DOA products will be advance replaced and shipped via express.
- ▶ Have distributors or authorized agents in the main market who can provide local repair and replacement services.
- ▶ Professional CRM management insures fast respond for customer's enquiries and orders tracking.
- ▶ Sales with many years experience in foreign trade, proficient in foreign languages and strong sense of responsibility.
- ▶ 7\*24 hours online, responds with 12 hours in working days, and within 24 hours for rest days.

## Packing and Shipment:



## Payment:



secure payment



AliExpress

PayPal

Trade Assurance

## Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.



# Company Profile

## TRADE ASSURANCE

- 100% money refund for Late shipment & Quality problem
- Guarantee on-time delivery
- Third-party pre-shipment quality inspection (Optional)
- No transaction commission charged
- The HIGHEST assurance amount guaranteed by alibaba in the Auto-ID and POS industry .



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers , Thermal Printer, Barcode printer, Dot Matrix Printer, Barcode Scanner, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: [www.ocominc.com](http://www.ocominc.com), Together we quest for the best.



## **Perguntas frequentes**

### **1. garantia**

**OCOM dedica-se a fornecer produtos e serviços com a máxima qualidade que atendam à satisfação dos clientes, nossa garantia dos produtos é de cerca de 12 meses a partir do embarque normalmente, alguns modelos designados podem ter até 24 meses de garantia. Para a ordem em massa, podemos fornecer-lhe algumas peças de reposição para reparo local. E depois disso, você pode devolver peças de falha para retrabalhos.**

### **2. Termos de Pagamento**

**Para a ordem em massa, você pode nos pagar usando T / T, LC, Western Union, Custódia ou outros. Sobre a ordem das amostras, T / T, Western Union, Custódia, Paypal são aceitáveis. Serviço de Custódia é alimentado por Alipay.com. Atualmente, você pode pagar usando Moneybookers, Visa, MasterCard e transferência bancária. Você também pode pagar com cartões de débito, incluindo Maestro, Solo, Carte Bleue, Pos, CartaSi, 4B e Euro6000.**

### **3. embarque**

**Aceitamos todos os tipos de formas de envio, incluindo: expresso, aéreo, marítimo, automóvel ou pick up pelos clientes pessoalmente.**

### **4. Disponibilidade de Amostra & Política**

**Depois que os clientes confirmaram nossa especificação, estamos muito satisfeitos em fornecer amostras para testes e qualificação. Todas as amostras devem ser pagas antes do envio, e o preço das amostras é um pouco maior do que o pedido em massa. Quando o pedido de massa colocado, podemos retornar-lhe o custo de amostras, ou enviar-lhe mais produtos com os shipments. Você pode comprar as amostras diretamente de nós usando t / t, uion ocidental ou paypal. E você também pode comprá-lo em nossa loja on-line em aliexpress:**

**[http://www.aliexpress.com/store/403448?tracelog=minisite\\_CI](http://www.aliexpress.com/store/403448?tracelog=minisite_CI) A ordem da amostra é necessária antes de liberar a nossa factorie**

### **5. Serviço pós-venda:**

**\* Nós temos o top 1% nível de garantia de comércio até USD12000 garantido pelo alibaba, que pode obter seu dinheiro bem para garantir o tempo de espera e qualidade dos produtos. (1) Todos os produtos de garantia não é inferior a um ano, alguns modelos até dois anos de garantia. (2) Peças sobressalentes serão fornecidas para pedidos em massa para manutenção local dos clientes. (3) Ter distribuidores ou agentes autorizados no mercado principal que possam fornecer serviços locais de reparo e substituição. (4) A gestão profissional de CRM garante o rápido atendimento e o rastreamento de pedidos. (5) Vendas com muitos anos de experiência em comércio exterior, proficiente em línguas estrangeiras e forte senso de responsabilidade. (6) 7 \* 24 horas on-line, dias úteis respondem dentro de quatro horas, dias de descanso dentro de 12 horas.**

## **6. Download**

**Você pode acessar <http://www.posolution.com.cn/cn/download.html> drivers de download, software SDK, especificações do produto e manuais do usuário.**

## **7. Guia de Vídeo**

**Para ajudar os clientes a usar melhor nossos produtos, gravamos e enviamos algumas orientações em vídeo. Você pode encontrá-los em <http://www.posolution.com.cn/video.html>.**

## **8. política MOQ**

**Nenhuma limitação de MOQ para os produtos padrão, mas o preço unitário é diferente. Para produção personalizada, você pode discutir o MOQ com o nosso representante de vendas.**