

2 015 WiFi тепловой чековый принтер, фискальный принтер пос квитанция

(Модель: ОСРР-М082)

Характеристики:

Размеры (Ш x Г x В)	98 x 103 x 45 мм
Вес	280 г
цвет	Черный
Эффективная ширина печати	72 мм
Метод печати	Тепловая линия Печать
Команда печати	ESC / POS совместима набор инструкций
Скорость печати	Для 90-мм / сек
разрешение	8 точек / мм (203DPI)
Печать Шрифт	В 12x24 / 24x24 в
Объем колонки	48 / 24columns
Размер символов	1.5 x 3.0 мм (ширина x высота) / 3.0x3.0mm (ширина x высота)
Размер бумаги	Диаметр 80,0 мм до ± 0.1mm x30.0
Плотность бумаги	0,06 0,08 мм
Набор символов	Буквенно-цифровой / китайский текст
Интерфейс	USB, RS-232, Bluetooth (опционально)
вспышка	256 Кб
Адаптер питания	9 В постоянного тока / 2А
Заряд батареи	DC / 2000 мА 7.4V; батарея может оставаться в течение 4-5 дней, когда он полон сил, он может печатать 120-150М бумаги
Другие особенности	Обнаружение бумаги, обнаружение мощности, ручную закрыть
Рабочие условия	Температура: -10degreeC~50degreeC Влажность: 10%~90%
Условия хранения	Температура: -20degreeC~70 degreeC Влажность: 5%~95%
Имя устройства	Может быть настроены, чтобы выбрать буквы и цифры до 30 символов ASCII.
пароль	Ввода по умолчанию код подключения "1234"Она может быть настроена. Максимум 6 Digitals.
Размер штепсельной вилки	3,5 * 1,1 мм

Информация о продукте:



**80mm Bluetooth
Thermal Receipt Printer
for Android or IOS
OCPP-M082**



Product Picture





Features

Simple but not easy

Support Windows, Android and iPhone OS;



Bluetooth, USB and RS232 communication.

Battery charge indicator, easy to know rest power.



Higher print speed 90mm/sec.



100km TPH Life.





Low power consumption
and large capacity
Lithium battery.

All-round show





Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation,
Warehouse management, Delivery, Illegal Parking Ticket,
Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm

Delivery



Restaurant



Bus / Taxi Receipt



Traffic Citation



Overall Dimension (W×D×H)	98×103×45mm
Weight	280g
Color	Black
Effective print width	72mm
Print method	Thermal line printing
Print commands	ESC/POS/STAR compatible command set
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12x24/ 24x24
Column capacity	48 columns/24 columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(W x H)
Paper dimensions	80.0±0.1mm x diameter 30.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji ASCII Font A:12×24 Font B: 9x17 Korean code page 949
Communication Interface	USB/RS-232, Bluetooth
Flash	256KB
Power Adapter	9V DC/1.5A
Battery Power	7.4V DC/ 2000mA; battery can stay by for 4-5 days, when it is full power, it can print 120-150m paper
Other features	Paper detection, power detection, Manual shut down
	Temperature:-10 degC ~ 50 degC.Humidity:10% ~

Working conditions	90%
Storage conditions	Temperature:-20 degC ~ 70 degC, Humidity:5% ~ 95%
Device name	Can be customized, letter and digital for option, at max 30 ASCII characters.
Password	Enter default pairing code "1234", it can be customized. At max 6 digitals.
Power plug dimension	3.5*1.1mm

Paper Roll Installation



- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.

Shipping and payment

1. Air, Sea, Express(DHL, FedEx, UPS, EMS, TNT and so on)
2. EXPRESS: around 3-7 working days to arrive
3. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
4. By sea: depend on which destination port
5. T/T
6. Western Union
7. Escrow
8. L/C

Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com, Together we quest for the best.



Соответствующие документы:

*[Specification](#)

*[Руководство программы](#)

*[Инструкция по эксплуатации](#)

*[Драйвер для WinXP Win2000 WinVista Win7 Win8-32bit](#)

*[Драйвер для Win7 Win8-64bit](#)

*[Драйвер для Linux](#)

*[Параметры установки принтера инструменты](#)

*[USB-Printdemo\(Прикладное программное обеспечение демо\)](#)

*[Bluetooth Printdemo\(Прикладное программное обеспечение демо\)](#)

*[SDK для Android](#)

*[CD Файлы](#)