Модель	- T2
ВМИ	5,5 дюйма емкостный сенсорный экран,
	поддержать электронную подпись
Батарея	3,8 B / 64 00 mAч
Адаптер питания	Вход:100-240В , 50/60 Гц ,1,5А
'' '	Выход: 5 В ОКРУГ КОЛУМБИЯ /2 А
Интерфейс зарядного	USB тип C
устройства	
Главный экран	5,5-дюймовый сенсорный HD-экран дисплей
Разрешение	720*1280 дюймов в секунду
Производительность	
Процессор	Десятиядерный процессор MT6797 Tri-Cluste- A72*2A53*8, 2,3 ГГц
БАРАН	ЗГБ
Вспышка	16 ГБ флэш-памяти
Коммуникация	2Γ/3Γ/ 4G
Операционная система	Андроид 8.0
Кнопка	Кнопка питания, кнопка сканирования ,кнопка
	громкости
Bluetooth	Блютуз 4.0
WI-FI	Wi-Fi 802.11 b.g.n.ac
Принтер	58-мм терморегистратор и пометить Принтер
Рулон бумаги	Ширина: 58 мм; Диаметр: ≤40 мм
Сканер	5 Мегапикселей Декодирование камеры , 2D-сканер
	(опция)
НФК	Поддержка ISO/IEC 14443A&B, Mifare, карты Felica
SIM-слот	Sim*2 (по умолчанию) или Sim*1Sam*1 по выбору
Оратор	Цифровой аудиодинамик
Палец п рвать	ФБР/STQC Палец п рвать (Необязательный)
GпS или AGпS	Поддержка GPSAGPS
МДМ	Поддерживать
Периферийные	
аксессуары	
Аксессуары	USB-тип C*1
	Зарядка адаптер*1
	руководство пользователя*1
Среда	
Рабочая Температура	0 до 40 градусы Цельсия
Температура хранения	- 10 до 60 градусы Цельсия
Рабочая влажность	10%~80%
Влажность при	10%~90%
хранении	





≫Features:

- 5.5-inch Handheld Android POS Terminal
- Deca-core MT6797 Tri-Cluste-A72*2+A53*8 2.3GHz processor
 ** 2*SIM card slot**
- Built-in high speed 58mm thermal receipt and label printer
 Standard 3GB RAM+16G ROM
- Built-in large volume speaker
- Built-in NFC Module
- Support USB type-C fast charging
- Removable 6400mAh large capacity battery
- 1D&2D Bar code reader and fingerprint for option

≫Productl Details:



» Productl Specification:



General	
Model	POS-T2
Name	5.5 inch capacitive touch screen, support the electonic signature
Battery	3.8 V/6400mAh
Power adapter	Input: 100-240V, 50/60Hz,1.5A
	Output: 5V DC /2A
Charger interface	USB type C
Display	
Main screen	5.5 inch HD touch screen dispaly
Resolution	720*1280 IPS
Performance	
CPU	Deca-core MT6797 Tri-Cluste-A72*2+A53*8 2.3GHz processor
RAM	3GB
Flash	16GB Flash
Communication	2G/3G/4G
Operating system	Android 8.0
Button	Power button, Scan Button, Volume button
Bluetooth	Bluetooth 4.0
WIFI	WIFI 802.11 b.g.n.ac
Printer	58mm Thermal Receipt and label Printer
Paper roll	Width: 58mm; Diameter: ≤40mm
Scanner	5 Mega-pixel Camera decoding, 2D Scanner (optional)
NFC	Support ISO/IEC 14443A&B, Mifare, felica card
SIM slot	Sim*2 (default) or Sim*1+Sam*1 for option
Speaker	Digital Audio speaker
Fingerprint	FBI/STQC Fingerprint (optional)
GPS or AGPS	Support GPS+AGPS
MDM	Support
Peripheral accessories	
	USB type C*1
Accessories	Charging adapter*1
	User manual*1
Environment	
Operating temperature	0 to 40 degrees centigrade
Storage temperature	-10 to 60 degrees centigrade
Working humidity	10%~80%
Storage humidity	10%~90%

www.ocominc.com www.ocominc.com