

3-дюймовый прямой термопринтер для этикеток со штрих-кодом
(Модель: ОСВР-020)

Функции:



Ширина печати может регулироваться;

Интеллектуальный контроль температуры делает работу принтера более стабильной;

Автоматическая калибровка;

Высокая скорость печати;

Совместим с различными транспортными этикетками.

Спецификация

Общий	
Модель	ОСВР-020

Интерфейс	USB/USBBluetooth
Срок службы головки принтера	50 км
Блок питания	Вход: 100-240 В переменного тока, 50-60 Гц; Выход: 24 В постоянного тока/1,5 А
Датчики	Датчики с двумя средами: пропускающие и отражающие
Драйвер принтера	Windows, MAC OS, поддержка IOS/Android
Поворот шрифта и штрих-кода	0°,90°,180°,270°
Команда принтера	Команда TSPL (CPCL/ESC/POS команда-необязательно)
Возможность печати	
Метод печати	Прямая линия термической обработки
Разрешение	203 точек на дюйм
Скорость печати	120 мм/с
Ширина печати	20-76 мм
Доступная максимальная ширина бумаги	80 мм
Штрих-код и символ	
Штрих-код	1D штрих-код: UPC-A / UPC-E / JAN13 (EAN13) / JAN8 (EAN8) / CODE39 / ITF / CODABAR / CODE93 / CODE128 2D-штрих-код: QR-код, PDF417
СМИ	
Тип носителя	непрерывная бумага, этикеточная бумага, сложенная бумага, бирочная бумага
Ширина носителя	Макс 80 мм
Толщина носителя	0,06-0,30 мм
Диаметр сердцевины носителя	25,4 мм
Диаметр рулона бумаги	100 мм (МАКС)
Физический	
Физическое измерение	200*160*139,5 мм
Масса	Нетто: 1,02 кг, Брутто 1,40 кг.
Упаковочная коробка	235*220*170 мм
8 в одной коробке	490*460*360 мм/12 кг
Аксессуары	USB-кабель, руководство пользователя, адаптер питания
Среда	

Рабочая температура и влажность	От 5 до 40 градусов по Цельсию, 25-85 %, без конденсации.
Температура и влажность хранения	От -40 до 60 градусов по Цельсию, 10-90% без конденсации.

3-inch Label Printer

OCBP-020



Windows

MAC OS



Android

IOS



**No ribbon, No ink
Thermal printing.**

Paper can be printed without any consumables
saves time and money.



Easy Installation



Freely adjust the printing width

Compatible with various shipping labels, Removable paper slot adjustable printing width, Large-capacity paper warehouse Reduce frequent paper changes

20-80mm
Print Width

100mm
Paper roll diameter



Adjustment paper range



Support Paper Width 20-80mm

Standard: 020-20200202
Category: B
Product Name: Sweater
Style No.: Z-4747
Specification: XL
Fabric: 93% wool
Registration:
qualified products
\$29.99

Bubble Tea
Taste: Shaobing
Price: 6.00
Time: 02-02-02



Menu
Sirloin steak*3
Mexican rolls*2
Salad*1
Turkey*1
Dessert*3
Mashed potatoes*1
\$29.99



Professional print head, Stable and durable.

With professional thermal print head, stable performance, clear printing and long working life.



Automatic rollback function to prevent paper waste

Automatically induction paper when the printer starts up, and the first piece of paper will automatically return without wasting

-  Gap detection
-  Paper outlet detection
-  Paper shortage detection



Multiple interfaces

Supports USB, Bluetooth and Local area network port optional



USB



Bluetooth



LAN




USB Connection



Bluetooth Connection



LAN Connection



Product Function Structure




Packaging accessories

SMART PRINTING



Beautiful packaging, original accessories



APPLICATION

Applied to supermarkets, warehouse labels;
express bills; office printing, etc.

Office desktop printing



Courier form



Warehouse Label Printing



Соответствующие документы:

[Этикетка Pritner, компакт-диск](#)

