

ОСРР-80Е-Р Высокоскоростной 80-мм тепловизионный принтер POS с автоматической резкой для ресторана(№ модели: ОСРР-80Е-Р)

A.Features:

1. Настольный или настенный тип для опции.
 - 2.Supports multi 1D штрих-коды и 2D-кодовая печать.
 - 3.100М порт Ethernet, сверхскоростная передача данных.
 - 4.Supports 256KB хранения логотипа NV и 2М большой буферной памяти.
- Функция поддержки заказа 5.Supports, совместимая с водителем OPOS.а также обнаружение черной метки(Необязательный)
6. Поддерживает контроль состояния печати и функцию снижения потерь.

В.Технические параметры:

Способ печати:	Прямая термическая
Скорость печати:	200mm / c
Ширина рулона:	79,5 ± 0,5 мм
Диаметр печати:	Ф80mm
Толщина бумаги:	0.06-0.08mm
Емкость колонки:	576dots / line512 Точки / строка
Межстрочный интервал :	3.75mm(Регулируется командами)
Команда печати:	Совместимость с командой ESC / POS
Тип интерфейса:	USB+Серийный номер 25P/ 36P параллельный порт / ЛВС
Спроизносит жизнь:	1 миллион разрезов
псрок службы головки:	100 км
Входной буфер :	2048Kbytes
NV Flash:	256Kbytes
Блок питания:	AC110V / 240V,50 ~ 60 Гц
Источник питания:	DC 24V / 2.5A
Поставка денежного ящика:	DC 24V / 1A
Рабочая среда:	Температура (0~45) влажность (10~80%)(нетп- конденсироваться)
Рабочая среда:	Температура (0-45) градус по Цельсию, влажность (10-80%) Нетп- конденсироваться
Среда хранения:	Температура (-10~60°C); ЧАCumidity (10~90%)
Размер символа:	ANK,FontA: 1.5 * 3.0mm / FontB:1,1 * 2,1 мм
Штрих-код:	UPC-A / UPC-E / JA(EAN13)/ JAN8(EAN8 / CODE39 / ITF / CODE93 / Code128/QR код/ PDF417 (варианты)
Персонажи:	PC347(Стандартная Европа),катакана,PC850(многоязычный),PC860(португальский),PC863(Канадско-французский),PC865(нордический),Западная Европа,греческий,иврит,Восточная Европа,Иран,WPC1252,PC866(Кириллица # 2),PC852(LATIN2), PC858,IranII,Латышский,арабский,PT151(1251)
Физические характеристики:	вес: 1.25kg; Размер внешнего вида: 190 × 145 × 143мм (длина * ширина * высота)

C.Pictures:



80mm Thermal Printer with Auto Cutter

OCPP-80E



Product Picture



Features:

Reliable with good price



Supports black mark detection and order reminding function, compatible with OPOS driver;



Supports multi 1D barcodes and 2D codes printing;



100M Ethernet port, ultra high speed data transmission;

Supports 256KB NV Logo storage
and 2M big buffer memory;



Desktop or wall-mounted
type for option;



Supports printing status monitor
and anti-losing order function.





Restaurant



Supermarket



Pharmacy



Warehouse



Clothing store



Bookstore

Parameter

Printing method:	Direct thermal
Printing speed:	230mm/s、260mm/s
Roll width:	79.5±0.5mm
Print diameter:	Φ80mm
Paper thickness:	0.06-0.08mm
Column capacity:	576dots/line , 512dots/line
Line's pacing :	3.75mm (Adjustable by commands)
Print command:	Compatible with the ESC/POS command
Interface type:	Serial+USB+Lan/36P parallel port/25P serial +USB/LAN
cutters life:	1million cuts
Print head life:	100 km
Input buffer :	2048Kbytes
NV Flash:	256Kbytes
Power adaptor:	AC110V/240V、50~60Hz
Power supply:	DC 24V/2.5A
Cash drawer supply:	DC 24V/1A
Work environment:	Temperature(0 ~ 45) humidity(10 ~ 80%) (Non- condense)
Work environment:	Temperature(0-45) degree centigrade, humidity(10-80%) Non- condense
Storage environment:	Temperature(-10 ~ 60℃); Humidity(10 ~ 90%)
Character size:	ANK, FontA:1.5*3.0mm/ FontB: 1.1*2.1mm
Barcode:	UPC-A/UPC-E/JA (EAN13) /JAN8 (EAN8/CODE39/ITF /CODE93/CODE128 QRCode
Characters:	PC347 (Standard Europe)、Katakana、PC850 (Multilingual)、 PC860 (Portuguese)、PC863 (Canadian-French)、PC865 (Nordic)、West Europe、Greek、Hebrew、East Europe、 Iran、WPC1252、PC866 (Cyrillic#2)、PC852 (Latin2)、 PC858、IranII、Latvian、Arabic、PT151 (1251)
Physical characteristics:	Weight: 1.25Kg; Appearance size: 190×145×143mm (length * width * height)

Supported Languages:

Afrikaans	Arabic (Tunisia)	English (British)	French (Switzerland)	Latvian	Spanish (Costa Rica)
Albanian	Arabic (Yemen)	English (Canada)	German (Austria)	Lithuanian	Spanish (Dominican)
Arabic (Algeria)	Basque	English (Caribbean)	German (Liechtenstein)	Macedonian	Spanish (Ecuador)
Arabic (Bahrain)	Belarus	English (Irish)	German (Luxembourg)	Polish	Spanish (Guatemala)
Arabic (Egypt)	Bulgarian	English (Jamaica)	German (Standard)	Portuguese (Brazil)	Spanish (Mexico)
Arabic (Iran)	Catalan	English (New Zealand)	German (Switzerland)	Portuguese (Portugal)	Spanish (Panama)
Arabic (Jordan)	Chinese (Singapore)	English (South Africa)	Greek	Romanian	Spanish (Paraguay)
Arabic (Kuwait)	Chinese (Hongkong)	English (US)	Hebrew	Russian	Spanish (Peru)
Arabic (Lebanon)	Chinese (PRC)	Estonian	Hun	Serbian	Spanish (Uruguay)
Arabic (Libya)	Chinese (Taiwan)	Faroese	Icelandic	Slovak	Spanish (Venezuela)
Arabic (Morocco)	Croatian	Farsi	Indonesian	Slovenian	Thai Language
Arabic (Oman)	Czech	Finnish	Italian (Switzerland)	Swedish	Turkish
Arabic (Qatar)	Danish and Norwegian	French (Belgium)	Italian	Spanish (Argentina)	Ukrainian
Arabic (Saudi Arabia)	Dutch (Belgium)	French (Canada)	Japanese	Spanish (Bolivia)	Urdu
Arabic (Syria)	Dutch (standard)	French (Luxembourg)	Korean	Spanish (Chile)	Vietnamese
Arabic (UAE)	English (Australia)	French (Standard)	Vietnamese	Spanish (Colombia)	


Power plug for option:




How to use?

Connecting the printer:

- ▶ The power adapter cable connect to the printer power interface
- ▶ The interface cable connect on the printer port behind
- ▶ The cash drawer connecting cable connect to the printer's behind the cash drawer interface




Installation of paper roll:



- Open the printer cover.
- Install the roller in the roll paper, and put them into the printer.
- Pull out some paper outside the printer and then close the printer cover.
- Close the top cover. Press the printer cover to avoid error position of roll paper.
- Tear-off the paper correctly.

Setting the Printing Mode(DIP switches):

The DIP switches are used to set the printer to perform various functions, such as cutter mode, character set, speed, beeper, print density and etc.



Power indicator:
Turn on/off the printer

Alarm indicator:
When the printer is out of paper, the cutter error occurs or printer head overheats, the ALARM indicator flashes.

Paper indicator:
Both of paper indicator and error indicator are on, means paper end-user, both of paper indicator and error indicator are off, means have paper.

FEED button:
Press to feed paper manually.

Clean of printer:

When the printer has the following conditions should clean the print head:

- ❑ The printer does not clear
- ❑ The page frame lengthways of printer has some not clean
- ❑ Paper feed with a large noise

Printer cleaning steps as follows:

- ✓ Shut off the power of printer, Open the Top Cover; If there is paper, please wipe off the paper;
- ✓ If it just finished a printing, please wait for a while until the print head cooling;
- ✓ With a soft cotton cloth dipped in ethanol (to be wrung) erase the thermal printer head thermal surface dust, stains;
- ✓ As the anhydrous ethanol evaporate completely, closed the top cover, and restart to print.

Production Process

No.	Production Process	No.	Production Process	No.	Production Process
1	 Inspection 1	2	 Soldering	3	 Assembling 1
4	 Assembling 2	5	 Function Test	6	 Ageing Test
7	 Inspection 2	8	 Packing 1	9	 Packing 2

Quality Assurance:



OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction.

Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHs and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours ageing test before shipment. Some designated models can have as long as 24 months warranty.

Test Equipments:

✓ Indicates information has been verified onsite by a certification specialist

Test Equipment and Facilities

Verified	Machine Name	Brand & Model No.	Quantity
✓	Ageing Tester	No Information	6
✓	Withstand Voltage Tester	CC2670A	1
✓	Oscilloscope	TBS1102	1
✓	DC Power Supply	PS-305DM	6
✓	Digital Torque Meter	HP100	1
✓	Calliper	GUANGLU	2
✓	Multi-meter	VC890D	7
✓	Test Computer	No Information	13

Verified by TUV on 2013.7.15

Certification:




Warranty and After Sales:




- ▶ All products' warranty are not less than 12 month, some models even up to 24 months warranty.
- ▶ Spare parts will be provided for mass orders for customers' local maintenance.
- ▶ Any product found to be defective within 30 days of shipment shall be deemed Dead on Arrival (DOA). DOA products will be advance replaced and shipped via express.
- ▶ Have distributors or authorized agents in the main market who can provide local repair and replacement services.
- ▶ Professional CRM management insures fast respond for customer's enquiries and orders tracking.
- ▶ Sales with many years experience in foreign trade, proficient in foreign languages and strong sense of responsibility.
- ▶ 7*24 hours online, responds with 12 hours in working days, and within 24 hours for rest days.

Packing and Shipment:



Double wall corrugated board



Double outer cartons

Marks and fragile stickers

Outer protective film



Payment:



secure payment



Aliexpress

PayPal

Trade Assurance

Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.



Company Profile



TRADE ASSURANCE

- 100% money refund for Late shipment & Quality problem
- Guarantee on-time delivery
- Third-party pre-shipment quality inspection (Optional)
- No transaction commission charged
- The HIGHEST assurance amount guaranteed by alibaba in the Auto-ID and POS industry .



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers , Thermal Printer, Barcode printer, Dot Matrix Printer, Barcode Scanner, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com,

Together we quest for the best.



Why you choose us?



Contact us

Any queries, please contact us immediately, big surprise is waiting for you.

Sales Center:

Address: Unit701, Block 14, Zhongxing Industrial Park, Chuangye Road, Nanshan

District, Shenzhen 518054, China

Website: www.ocominc.com www.possolution.com.cn;

E-mail: ocom@ocominc.com, info@possolution.com.cn ;

Tel: +86.755.86053207 ext 800;

Fax: +86.755.86053207 ext 868;

QQ: 2485890637, 190852203;

Wechat: szocominc, hj34924238;

Whatsapp: 008613352932860;



D.FAQ:

1. Гарантия

Компания OCOM специализируется на предоставлении наиболее рентабельных продуктов и услуг высочайшего качества, которые будут удовлетворять требованиям клиентов, наша гарантия на продукты составляет около 12 месяцев с момента отгрузки в обычном режиме, некоторые обозначенные модели могут иметь 24-месячную гарантию. Для массового заказа мы можем предоставить вам запасные части для местного ремонта. И после этого вы можете вернуть детали

отказа для реорганизации.

2. Условия оплаты

Для массового заказа вы можете оплатить нас, используя T / T, LC, Western Union, Escrow или другие. О заказе образцов, T / T, западное соединение, Escrow, Paypal приемлемы. Служба Escrow работает на Alipay.com. В настоящее время вы можете оплачивать деньги с помощью Moneybookers, Visa, MasterCard и банковского перевода. Вы также можете оплачивать выбранные дебетовые карты, включая Maestro, Solo, Carte Bleue, PostePay, CartaSi, 4B и Euro6000.

3. Отгрузка

Мы принимаем все виды судоходных путей, включая: экспресс, воздух, море, автомобиль или подбор лично клиентов.

4. Доступность образца и & политика

После того как клиенты подтвердили нашу спецификацию, мы очень рады предоставить образцы для тестирования и квалификации. Все образцы должны быть оплачены до отправления, а цена образцов немного выше, чем массовый заказ. Когда размещен массовый заказ, мы можем вернуть вам стоимость образцов или отправить вам больше продуктов с отправлениями. Вы можете купить образцы у нас напрямую, используя t / t, western union или paypal. И вы также можете купить его в нашем интернет-магазине на aliexpress: http://www.aliexpress.com/store/403448?tracelog=minisite_CI Пример заказа необходим, прежде чем мы выйдем к нашему фактору

5. Послепродажное обслуживание:

* У нас есть верхняя гарантия на 1% уровня до 12 000 долларов США, гарантированная alibaba, которая может хорошо определить ваши деньги, чтобы обеспечить время и качество продукции. (1) Гарантия всех продуктов составляет не менее одного года, некоторые модели - даже до двух лет гарантии. (2) Запасные части будут предоставлены для массовых заказов на местное обслуживание клиентов. (3) Имеют дистрибьюторов или уполномоченных агентов на основном рынке, которые могут предоставлять услуги по местному ремонту и замене. (4) Профессиональное управление CRM обеспечивает быстрое отслеживание клиентов и отслеживание заказов. (5) Продажи с многолетним опытом во внешней торговле, владение иностранными языками и сильное чувство ответственности. (6) 7 * 24 часа в сети, рабочие дни отвечают в течение четырех часов, дни отдыха в течение 12 часов. 6. Загрузить

Вы можете получить доступ к <http://www.possolution.com.cn/cn/download.html> загрузке драйверов, программного обеспечения SDK, технических характеристик продукта и руководств пользователя.

7. Видео-гид

Чтобы помочь клиентам лучше использовать наши продукты, мы записали и загрузили некоторые видеоуроки, вы можете найти их по адресу <http://www.possolution.com.cn/video.html>.

8. Политика MOQ

Отсутствие ограничения MOQ для стандартных продуктов, но цена единицы товара отличается. Для индивидуальной продукции вы можете обсудить MOQ с нашим представителем по продажам.

9. Запросить предложение

Запросить цитату по адресу <http://www.possolution.com.cn/inquiry.html>.

Е.

Компания: OCOM является ведущим поставщиком одноразовых POS и Auto-ID, который сертифицирован компанией Global Fortune 500. У нас есть гарантия 1-го уровня гарантии качества.

Ассортимент продуктов OCOM охватывает Термальный принтер, принтер штрих-кодов,

матричный принтер DOT, сканер штрих-кодов, сборщик данных, POS-машину и другие продукты периферийных устройств POS, которые широко используются для розничной торговли, ресторанов, банков, лотерей, транспорта, логистики и других приложений. У нас есть CE, FCC и другие необходимые сертификаты.

С момента создания в июне 2007 года OCOM придерживаются системы качества ISO9001: 2008. Мы ориентируемся на надежное качество продукции и конкурентоспособную цену. Мы обслуживали более 1300 клиентов более чем в 133 странах, 40 из которых являются крупнейшими дистрибьюторами на своей территории. Наши основные рынки находятся в Европе, Австралии и быстро растущей Южной Америке и Африке. Список клиентов включает известные Unilever, O2, Equicom ...

Миссия OCOM - неотъемлемый выбор для наших партнеров, основанный на трех основных убеждениях «Основанная на честности, стремление к совершенству, бесприигрышное сотрудничество», мы хотели бы установить стабильные и надежные партнерские отношения с клиентами по всему миру. OEM / ODM приветствуется.

Вместе мы стремимся к лучшему.

F.Contact:

Контактное лицо: Гарольд Ху

OCOM Technologies Limited

Адрес: 4 / F, блок 10, промышленный парк Чжунсин, дорога Чжуанье, район Наньшань, Шэньчжэнь 518054, Китай;

Веб-сайт: www.ocominc.com, www.possolution.com.cn;

E-mail: sales14@ocominc.com;

Skype: [sales14@ocominc.com](https://www.skype.com/en/contacts/sales14@ocominc.com)

MSN: ocomsales14@hotmail.com;

Whatsapp: 0086.18948789890;

Wechat: 0086.18948789890;

Мобильный: 0086.18948789890;

QQ: 1467261417;

Тел: 0086.755.86053207-814;

Факс: 0086.755.86053207-868;