тепловая водитель высокое качество ККМ, термопринтер

(Модель: ОСРР-М05)

Особенности:

- 1.Support Окна, Android, или IOS, Android или IOS + OC
- 2.Bluetooth, USB и RS232связи для варианта.
- 3. Higher скорость печати 90 мм / сек.
- 4.100km ТРН Жизнь.
- 5.Low энергопотреблениеи большая емкость батареи лития.

Спецификация:

Габаритные размеры (Ш × Г			
× B)	105 × 75 × 45 мм		
Bec	134g		
цвет	Черный		
Эффективная ширина печати48mm			
Метод печати	Тепловая линия печати		
Команды печати	ESC / POS совместимо Набор команд		
Скорость печати	До 90 мм / сек		
разрешение	8 точек / мм (203dpi)		
Печать шрифтов	12x24 / 24x24		
Объем колонки	32 колонн / 16columns		
Размер символов	1,5 х 3,0 мм (Ш х В) / 3.0х3.0mm (ШхВ)		
Размеры бумаги	58,0 ± 0,1 мм х диаметр 40.0mm		
Толщина бумаги	0,06 0,08		
Набор символов	Буквенно-цифровой / китайский Кандзи		
Интерфейс	USB, RS-232, Bluetooth (опционально)		
вспышка	256 Кб		
Адаптер питания	9 В постоянного тока / 2А		
Заряд батареи	7.4V DC / 1500mA; батарея может оставаться на 4-5 дней, когда она полна энергии, он может печатать 120-150m бумаги		
Другие особенности	Обнаружение бумаги, Обнаружение питания, руководство закрыли		
Рабочие условия	Температура: -10 °C ~ 50 °C, Влажность: 10% ~ 90%		
Условия хранения	Температура: -20 °С ~ 70 °С, Влажность: 5% ~ 95%		
Имя устройства	Может быть частроены письма и нифровой пля варианта, при маке 3		
пароль	Войти Код спаривания умолчанию "1234", он может быть изменен. В макс 6 Digitals.		
Измерение Вилка	3.5 * 1.1mm		



Bluetooth **Thermal Printer OCPP- M05** ww.ocominc.co w.ocominc.c





W.Ocomime.co

2000

C E FC 💿 🙆 🔮













Parameter

Overall Dimension (W×D×H)	105×75×45mm		
Weight COTT	134g		
Color mine	Black		
Effective print width	48mm		
Printmethod	Thermal line printing		
Print commands	ESC/POS compatible command set		
Printspeed	Up to 90mm/sec		
Resolution	8 dots/mm(203dpi)		
Printfont	12x24/24x24		
Column capacity	32 columns/16columns		
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)		
Paper dimensions COM	58.0±0.1mm x diameter 40.0mm		
Paper thickness	0.06 to 0.08mm		
Character set	Alphanumeric/ Chinese Kanji		
Interface	USB, RS-232 + Bluetooth (optional)		
Flash	256KB		
Power Adapter	9VDC/2A		
Battery Power	7.4V DC/ 1500mA; battery can stay by for 4-5 days, when it is full power, it can print 120-150m paper		
Other features	Paper detection, power detection, Manual shut down		

WWW.

Working conditions	Temperature:-10°C~50°C,Humidity:10%~90%	
Storage conditions	Storage conditions Temperature:-20°C~70°C,Humidity:5%~95%	
Device name	Can be customized, letter and digital for option, at max 30 ASCII characters.	omi
Password	Enter default pairing code "1234", it can be customized. At max 6 digitals.	
Power plug dimension	3.5*1.1mm	

Applications

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation, Warehouse management, Delivery, Illegal Parking Ticket, Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm









2.8	com	w.ocom	W. ocom
Verified	Product Name	Production Line Capacity	Actual Units Produced(Previous Year)
~	Thermal Printer	40,000 Sets / Month	250,000 Sets
~	Dot Matrix Printer	15,000 Sets / Month	10,000 Sets
1	Bluetooth Printer	30,000 Sets / Month	20,000 Sets
1	Barcode Scanner	40,000 Sets / Month	20,000 Sets
~	POS Machine	5,000 Sets / Month	10,000 Sets
1	Magnetic Card Reader and Writer	45,000 Sets / Month	50,000 Sets
	ominc.com	✓ Indicates inf	ormation has been verifed onsite by TUV on 2013.7.15

Quality Assurance

OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfication.



Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHS and other certifications.

before shipment.Some designated models can have as long as 24 months warranty.

Test Equipments



Indicates information has been verifed onsite by TUV on 2013.7.15

Certifications



Packing and Shipment







Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.







Why you choose us?



OCOM has a professional teams including marketing, R&D, quality control, production and sales service. The management members have worked in the FORTUNE 500 companies as senior managers for many years, All of the sales have more than 5 years experience, which help us to meet and exceed the customers' satisfaction.

OCOM has been sticking to the quality system of ISO9001:2008. We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty. We have the mass production capabilities that produce thousands of printers and scanners a week. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

"Integrity based, Strive for excellence, Win-win cooperation". We would like establish stable and reliable partnerships with customers all over the world. OEM/ODM is welcome.



Contact us inc

minc Any queries, please contact us immediately, big supprise is waiting for you. NNN NNN

Sales Center:

Address: 11/F, Tower A, New Energy Building, #2009, Nanhai Ave., Nanshan district, Shenzhen Guangdong, 518054, China; E-mail: ocom@ocominc.com , ocomtech@gmail.com ; Skype: ocominc2000, ocominc; MSN: ocomtech@hotmail.com, ocominc@hotmail.com; www.ocominc.com Trademanager: szocominc, cn1500439666; QQ: 2485890637, 190852203; WWW.ocomin Tel/Fax: +86.755.8605.3207. WWW.OCOT