

Ручная мобильная система точек продаж Pos-терминала Android с термопринтером 58 мм

(М/Н: POS-T2)

Функции:



Десятиядерный процессор MT6797 Tri-Cluste-A72*2A53*8, 2,3 ГГц;

Встроенный высокоскоростной термопринтер для чеков и этикеток шириной 58 мм;

Стандартный 3 ГБ ОЗУ 16 ГБ ПЗУ;

Встроенный динамик большой громкости;

Встроенный модуль НФК;

2 * слот для SIM-карты;

Поддержка быстрой зарядки USB Type-C;

Съемный аккумулятор большой емкости из чистого кобальта емкостью 6400 мАч;

Считыватель штрих-кодов 1D и 2D и принтер для отпечатков пальцев в качестве опции.

<o:p>

Технические характеристики:

| | |
|--------------------------------|--|
| Модель | POS-T2 |
| Имя | 5,5-дюймовый емкостный сенсорный экран, поддержать электронную подпись |
| Батарея | 3,8 В/6400 мАч |
| Адаптер питания | Вход: 100-240 В, 50/60 Гц, 1,5 А Выход: 5 В постоянного тока/2 А |
| Интерфейс зарядного устройства | USB тип C |
| Отображать | |
| Главный экран | 5,5-дюймовый сенсорный HD-дисплей |
| Разрешение | 1280*720 |
| Производительность | |
| Процессор | Десятиядерный процессор MT6797 Tri-Cluste-A72*2A53*8, 2,3 ГГц |
| БАРАН | 3 ГБ |
| Вспышка | 16 ГБ флэш-памяти |
| Коммуникация | 2Г/3Г/4Г |
| Операционная система | Андроид 8.0 |
| Кнопка | Кнопка питания, кнопка сканирования, кнопка громкости |
| Bluetooth | Блютуз 4.0 |
| WI-FI | Wi-Fi 802.11 b.g.n.ac |
| Принтер | Чековый термопринтер шириной 58 мм |
| Рулон бумаги | Ширина: 58 мм; Диаметр: ≤40 мм |
| Сканер | Декодирование камеры 2D-сканер (опция) |
| NFC | Поддержка ISO/IEC 14443A&B, Mifare, карты Felica |
| SIM-слот | Сим*2 |
| Оратор | Цифровой аудиодинамик |
| Отпечаток пальца | Отпечаток пальца (дополнительно) |
| GPS или AGPS | Поддержка GPSAGPS |
| МДМ | Поддерживать |
| Периферийные аксессуары | упаковка |

| | |
|----------------------|----------------------------------|
| Аксессуары | USB-тип C*1 |
| | адаптер питания * 1 |
| | руководство пользователя*1 |
| Среда | |
| Рабочая Температура | От 0 до 40 градусов по Цельсию |
| Температура хранения | От -10 до 60 градусов по Цельсию |
| Рабочая влажность | 10%~80% |
| Влажность хранения | 10%~90% |

SMART Handheld POS Terminal

MULTI-PLATFORM AUTOMATIC PRINTING
easy to deal with a variety of working environment





Thermal Receipt
Label Printing



Touch HD
Screen



Multi-version
Connection



5 Million
Pixels



3GB+16GB
Standard



Removable 6400mAh
Large Capacity Battery



NFC
Standard



CPU
Deca-core

Multiple versions Connection options

Support full Net-com, Bluetooth, WIFI multiple versions of connection, Excellent experience



Support 2.4G&5G

Built-in NFC Module

2G/3G/4G communication

Support Download APP from Google Play Store

High Quality and Performance, Your reliable POS



Large paper bin Print more durable

Can accommodate 42mm diameter thermal paper to avoid frequent paper changes and improve printing efficiency.

58mm

Maximum
paper width

42mm

Maximum
paper diameter



■ SMART PRINTING

Thermal Receipt / Label Printing

Built-in high speed 58mm thermal receipt and label printer




5.5-inch HD IPS Screen

720*1280 resolution, stable every pixel, allowing users to see more clearly



2D Barcode Scanner for Optional

5 Million Rear HD Camera
quickly identify barcodes QR codes
record important information



Scan code



Photo



Video



NFC Contactless Card

NFC contactless card reader payment function



Strong Performance



Memory

3GB RAM+16GB ROM



Processor

2.3GHz processor

Built-in MDM Control System



Application Management

Support Software Shielding, Pre-installation, Intergrated Testing, Remote Upgrade and management ,etc.

appMgr

myAppList

marketList

System Customization

Specified APP can be installed or reinstalled by default once Internet connected for first time or be deleted.

systemCustom

defaultApp

Device Management

Check all information and usage status of hardware devices such as operation logs.

deviceMgr

MyDevice

Statistics

Check device activation time, positioning, software information and version.

Statistics

Mydevice

DeviceInfo

Kioak APP

Specified APP runs automatically after the hardware is powered on. Can't quit, can't be uninstalled.

Kioak

Kioak App.

security

Double Frequency WIFI

Double insurance of 4G high Speed network and dual-frequency WIFI network can ensure the real-time data communication in different using environment



2.4G 5G



Large Capacity Battery

Removable 6400mAh large capacity pure cobalt battery



Fingerprint Security

Ministry of Public Security or FBI fingerprints (Optional)

70%

Sensitive
Ascension



Fingerprint ID



Structure specification

SMART PRINTING



Simple construction Easy operation



Dimensions

SMART PRINTING



197*82*57.5mm



Manual measurement has slight errors and does not affect the use.

Packaging accessories

SMART-PRINTING



Beautiful packaging, original accessories



01 Machine 02 User Manual 03 Roller Paper

04 Type C Cable 05 Charging Adaptor

Applicable Scene

Powerful functions such as mobile cashier, receipt printing, pin storage, queuing, billing, label printing, QR code collection, NFC membership management, infrared physical temperature measurement, etc.



Соответствующие документы:

[POS-T2 SDK](#)