

Windows15 дюймовый сенсорный экран All-in-One POS

(M / N: POS 8619)

Основные функции

Intel Celeron J1900 Quad core 2.0GHZ

Жесткий диск SSD 32GB (по умолчанию), SSD 64GB и SSD 120G для опционального

5-проводный резистивный сенсорный экран (по умолчанию), емкостный экран для опционального

Дисплей клиента VFD для дополнительного

заявка

Питание: гостиница, ресторан, ресторан быстрого питания, кафе, пекарня и магазин торта

Розничный торговец: бизнес-стрит, бутик, универмаг, магазин косметики и парикмахерская высокого класса

Увеселительный отдых: сауна, спа, ночной клуб, тематический парк, казино и точка продаж лотерейного билета

Коммерческие: терминалы управления информацией для автостоянки, гостиницы, авиации, метро, станции и пристани

Спецификация

модель	POS -8619
Необязательный цвет	Черное и белое
Дополнительные периферийные устройства	VFD220E
Главный совет	Процессор Intel Celeron
ЦПУ	Intel Celeron J1900 Quad core 2.0GHZ
Набор микросхем	Intel NM70
Поддержка памяти	DDRIII 1333 * 1 2GB (по умолчанию)
Жесткий драйвер	SSD 32GB (по умолчанию)
ЖК-панель Размер	15-дюймовый TFT LCD
яркость	350cd / м ²
разрешение	1024 * 768 (макс)
Сенсорный экран	5-проводной резистивный сенсорный экран
Угол обзора	Горизонт: 150; Вертикальный: 140
Порт ввода / вывода	1 * кнопка питания 12 В постоянного тока в гнезде * 1 Serial * 1 DB9 male * 2 HDMI * 1 VGA (15Pin D-sub) * 1 LAN: RJ-45 * 1 USB (2.0) * 6 Аудиовыход * 1 MIC IN * 1
Температура хранения	Рабочая Температура
податливость	-20 °C до 60 °C
Размер упаковки / Вес	Класс FCC Class A / CE Mark / LVD / CCC 410 * 310 * 410 мм / 7,6 кг
Операционная система	Windows XP выше, Embedded, WE POS, Linux
Адаптер питания	110-240V / 50-60HZ Мощность переменного тока, вход DC12 / 5A out put

Описание товара



Product Picture



Features



Parameter

Model	POS-8619
Optional Color	Black or White
Optional Peripherals	VFD220E
Main Board	Intel Celeron Processor
CPU	Intel Celeron J1900 dual core 1.8GHZ
Chipset	Intel NM70
Memory Support	DDR3 1066/1333*1 2GB (default)
Hard Drive	SSD 32GB (default)
LCD panel Size	15 inch TFT LCD
Brightness	350cd/m ²
Resolution	1024*768(max)
Touch Screen	5 wire resistive touch screen
View Angle	Horizon: 160; Vertical: 140
I/O port	1* power button 12V DC in jack*1
	PS2KB/M*1
	Serial*1 DB9 male
	Parallel*1 DB25 Parallel port
	VGA(15Pin D-sub)*1
	LAN RJ-45*1
	USB2.0*6
Audio out*1	MIC IN*1
Operating temperature	0°C to 40°C
Storage temperature	-20°C to 60°C
Compliance	FCC Class A/CE Mark/VDICCC
Packing dimension/ Weight	410*310*410mm / 7.8 Kg
Operating System	Windows XP above, Embedded WEPOS Linux
Power adapter	110-240V/50-60HZ AC power, Input DC12/5A out put

Production Line



Capacity

Verified	Product Name	Production Line Capacity	Actual Units Produced(Previous Year)
✓	Thermal Printer	40,000 Sets / Month	250,000 Sets
✓	Dot Matrix Printer	15,000 Sets / Month	10,000 Sets
✓	Bluetooth Printer	30,000 Sets / Month	20,000 Sets
✓	Barcode Scanner	40,000 Sets / Month	20,000 Sets
✓	POS Machine	5,000 Sets / Month	10,000 Sets
✓	Magnetic Card Reader and Writer	45,000 Sets / Month	50,000 Sets

✓ Indicates information has been verified onsite by TUV on 2012.12.5

All-round show



Quality Assurance

OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction.



Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHS and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

Test Equipments

Verified	Machine Name	Brand & Model No.	Quantity
✓	Ageing Tester	No information	5
✓	Withstand Voltage Tester	CC257A	1
✓	Oscilloscope	TEB102	1
✓	DC Power Supply	PS-3550M	6
✓	Digital Torque Meter	HP100	1
✓	Calliper	GUANGLU	2
✓	Multi-meter	VC890D	7
✓	Test Computer	No information	13

✓ Indicates information has been verified onsite by TUV on 2012.12.5

Certifications



Application Area



Packing and Shipment



Monica Fu



OCOM Technologies Limited

Add: 4/F, Block10, Zhongxing Industrial Park, Chuangye Road, Nanshan District, Shenzhen 518054, China

Tel: 0086.755.8605.3207 ext 801

Fax: 0086.755.8605.3207 ext 868

Web: www.ocominc.com

E-mail: sales01@ocominc.com, sales01@ocomtech.com.cn

Skype: ocomsales01; **MSN:** ocomsales01@hotmail.com

Ali TM: cn1001868228; **QQ:** 1483705401

Mobile/Wechat/Whatsapp: 0086.189 4871 3992



Reliable One-Stop Supplier for POS and Auto-ID Related Products