

12-дюймовый многофункциональный сенсорный экран POS-терминал (Модель: POS -8812)

Спецификация:

дисплей	Площадь дисплея (мм)	385 мм (H) X245mm (V),
	Точка пробки (мм)	0,294 мм x 0,294 мм
	разрешение	800x600 двойной световой экран
	яркость	350 кд / м ²
	Контраст	400: 1
	цвет	16.7M
	Время отклика	15мс
	Угол обзора	150 ° (H) 150 ° (V)
	Источник питания	12V 5A внешний адаптер питания
	Сенсорная панель	5-проводной резистивный сенсорный
	Основная машина	ПРОЦЕССОР:
Память:		DDR3 2 ГБ
Набор микросхем:		Intel Pine View-D и Intel Nm10
SSD		32G
I / O		6x USB2.0, 1x LAN; 2x PS / 2, 2X RS232, 1X Parallel, 1X VGA, 2X Audio
Операционная система:		Поддержка Windows 2000 / XP / Vista или более поздней версии, Mac OS X или более поздней версии, Linux
Соответствие:		CE, FCC, и UL
аксессуары	Электрические кабели	
	1x диск установлен CD	

Приложения:

- Питание: гостиница, ресторан, ресторан быстрого питания, кафе, булочная и кондитерская;
- Ритейлер: Business Street, бутик, универмаг, магазин косметики и парикмахерская высокого класса;
- Отдых: сауна, спа, ночной клуб, тематический парк, казино и пункт продажи лотерейных билетов;
- Коммерческие: терминалы управления информацией для автостоянки, гостиницы, авиации, метрополитена, вокзала и пристани;

Информация о продукте:



ocom
All your side

**12 Inches All-In-One
Touch Screen POS Terminal
POS8812**

Product Picture





Features

Simple but not easy

Small size save space for shop



Good-looking design is suitable for



many POS field

Low power-consumption solution
guarantees its stable quality
and safety



All-round show





Parameter

Display Area(mm)	385mm(H)X245mm(V)
Dot Pith(mm)	0.294mm X 0.294mm
Resolution	800x600 dual light screen

Display	Brightness	350cd/㎡
	Contrast	400: 1
	Color	16.7M
	Response time	15ms
	Viewing Angle	150°(H) 150°(V)
	Power Supply	12V 5A external Power adaptor
	Touch Panel	5-wire Resistive Touch
Main Machine	CPU:	Intel ATOM D525 1.8GHz,
	Memory:	DDR3 2GB
	Chipset:	Intel Pine view-D And Intel Nm10
	SSD	32GB
	I/O	6x USB2.0 , 1x LAN; 2x PS/2, 2X RS232, 1X Parallel, 1X VGA, 2X Audio
	Operation System:	Support Windows 2000 / XP / Vista Or Later, Mac OS X Or Later, Linux
	Compliance:	CE, FCC, AND UL
Accessories	Power cables	
	1x Drive installed CD	

Shipping and payment

1. Air, Sea, Express(DHL, FedEx, UPS, EMS, TNT and so on)
2. EXPRESS: around 3-7 working days to arrive

2. By air: usually around 7 working days to arrive

3. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port

4. By sea: depend on which destination port

5. T/T

6. Western Union

7. Escrow

8. L/C

Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com,
Together we quest for the best.





Соответствующие документы:

Хотите узнать больше о продукте?основ уверены, верны?пожалуйста Кликните сюда.

[Спецификация](#)

[POS 8812, POS 8812L сенсорный драйвер для Linux](#)

[POS 8812, POS 8812L сенсорный драйвер для системы Windows](#)