

## высокоскоростной 2d / qr код usb лазерный сканер штрих-кода (Модель: OCBS -2008)

Высокопроизводительная технология визуализации;  
 Всенаправленное сканирование, простое сканирование;  
 Можно прочитать штрих-код на экране и цветной штрих-код;  
 4mil отличная точность сканирования;  
 Поддержка нескольких специальных функций;  
 Мульти интерфейсы необязательно;  
 Подставка для варианта.

### PerformanceCharacteristics

функция		
Источник света		Белый светодиод
гудок		поддержанный
стенд		Необязательный
Индикатор		Зеленый светодиод, звуковой сигнал
Производительность сканирования		
датчик		CMOS
разрешение		640 * 480 256 уровней серого
Максимальная скорость декодирования		13мил СКП 40см / с
Угол чтения		по горизонтали 50 градусов; вертикально 20 градусов
точность		≥4mil
Возможность декодирования	1D	UPC-A, UPC-E, UPC-E1, EAN-13, EAN-8, ISBN (Bookland EAN), ISSN, код 39, код 39 полный ASCII, код 32, триоптический код 39, чередование 2 из 5, промышленный 2 из 5 (дискретный 2 из 5), матрица 2 из 5, Codabar (NW7), код 128, UCC / EAN 128 (GS1-128), ISBT 128, код 93, код 11 (USD-8), MSI / Plessey
	2D	PDF417, MicroPDF417, QR-код, DataMatrix, код Хань Синь, ацтекский код, GS1 Com pos ите
Глубина резкости		Код 39 (5 мил): 50мм ~ 120мм Код 39 (10 мил): 25мм ~ 250мм UPC / EAN (13 мил): 20мм ~ 320мм Матрица данных (7,5 мил): 63мм ~ 150мм PDF417 (6.6mil): 62мм ~ 145мм
чувствительность		Наклон ± 45 ° при 0 ° крена и 0 ° перекоса Вращение ± 30 ° при шаге 0 ° и перекосе 0 ° Прогиб ± 45 ° при 0 ° крена и 0 ° перекоса
электрический		
Интерфейс		USB, USB COM (виртуальный последовательный порт)
Входное напряжение		3.3 В ~ 5 В постоянного тока
Стандартная мощность		2,0 Вт (400 мА)
Максимальная мощность		2,5 Вт (450 мА)
Адаптер постоянного тока		Макс 5,5 В 1А
LED КЛАСС		Класс I
Тест ЭМС		FCC part15, IEC60825-1, EN55022 Класс B
Пользовательская среда		
Работать температура		-20 ° C ~ + 60 ° C (от -4 ° F до 144 ° F)
Температура хранения		-30 градусов C ~ + 70 градусов C (от -22 градусов F до 158 градусов F)
влажность		5% - 95% (без конденсации)
Сопротивление падения:		1,5 м (5,0 футов) падает на бетон
Класс IP		IP54
Интенсивность света		Работает: солнечные фонари, люминесцентные лампы
физический		
Размеры		156 * 68 * 83мм
Вес		195 г (без подставки)
Размер упаковки		48 * 36 * 47 см (20 шт. С подставкой 13,5 кг)
		48 * 39 * 52 см (30 шт. Без подставки 15 кг)



# Handheld Image Scanner for 1D/2D Barcode

## OCBS-2008



### Product Picture




### Features

**Reliable with good price**

- High performance imaging technology;  
Omni-directional scanning, easy to scan;



- 4mil excellent scanning accuracy ;  
Can read the barcode on the screen  
and color barcode;









Multi special function setting supported;  
SDK/API Available;



Multi interfaces optional;  
Stand for option.



## Application place



Bookstore



Supermakte



Pharmacy



Warehouse



Clothing store



Restaurant



## Parameter

Function		
Light source	White LED	
Beep	Supported	
Stand	Optional	
Indicator	Green LED, beep	
Scan performance		
Sensor	CMOS	
Resolution	640*480,256 gray levels	
Maximum decoding speed	13mil UPC 40cm/s	
Reading angle	horizontally 50 deg; vertically 20 Deg	
Precision	≥4mil	
Decode capability	1D	UPC-A, UPC-E, UPC-E1, EAN-13, EAN-8, ISBN (Bookland EAN), ISSN, Code 39, Code 39 full ASCII, Code 32, Trioptic Code 39, Interleaved 2 of 5, Industrial 2 of 5 (Discrete 2 of 5), Matrix 2 of 5, Codabar (NW7), Code 128, UCC/EAN 128 (GS1-128), ISBT 128, Code93, Code 11 (USD-8), MSI/Plessey
	2D	PDF417, MicroPDF417, QR Code, DataMatrix, Han Xin Code, Aztec Code, GS1 Composite
Depth of field	Code 39(5mil): 50mm~120mm Code 39(10mil): 25mm~250mm UPC/EAN (13mil): 20mm~320mm Data Matrix(7.5mil): 63mm~150mm PDF417(6.6mil): 62mm~145mm	
Sensitivity	Inclination ±45° @0°Roll and 0°Skew Rotation ±30° @0°Pitch and 0°Skew Deflection ±45° @0°Roll and 0°Skew	
Electrical		
Interface	USB,USB COM(virtual serial port)	
Input Voltage	3.3v~5v DC	
Standard Power	2.0w (400mA)	
Max Power	2.5w (450mA)	
DC adapter	Max 5.5V 1A	
LED CLASS	Class I	
EMC Test	FCC part15,IEC60825-1,EN55022 Class B	
User Environment		
Operate Temperature	-20 deg C ~ +60 deg C (-4 Deg F to 144 deg F)	
Storage Temperature	-30 deg C ~ +70 Deg C (-22 Deg F to 158 deg F)	
Humidity	5% - 95%(non- condensation)	
Drop resistance:	1.5m (5.0ft) drops to concrete	
IP class	IP54	
Light intensity	Working: sun lights, fluorescent lights	
Physical		
Dimensions	156*68*83mm	
Weight	195 g (without stand)	
Package dimension	48*36*47CM (20pcs with stand 13.5KG)	
	48*39*52CM (30pcs without stand 15KG)	

**Production Capacity:**

✓ Indicates information has been verified onsite by a certification specialist

### Production Capacity

Verified	Product Name	Production Line Capacity	Actual Units Produced(Previous Year)
✓	Thermal Printer	40,000 Sets / Month	250,000 Sets
✓	Dot Matrix Printer	15,000 Sets / Month	10,000 Sets
✓	Bluetooth Printer	30,000 Sets / Month	20,000 Sets
✓	Barcode Scanner	40,000 Sets / Month	20,000 Sets
✓	POS Machine	5,000 Sets / Month	10,000 Sets
✓	Magnetic Card Reader and Writer	45,000 Sets / Month	50,000 Sets

Verified by TUV on 2013.7.15

## Quality Assurance:



OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction.

Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHs and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

## Test Equipments:

✓ Indicates information has been verified onsite by a certification specialist

### Test Equipment and Facilities

Verified	Machine Name	Brand & Model No.	Quantity
✓	Ageing Tester	No Information	6
✓	Withstand Voltage Tester	CC2670A	1
✓	Oscilloscope	TBS1102	1
✓	DC Power Supply	PS-305DM	6
✓	Digital Torque Meter	HP100	1
✓	Calliper	GUANGLU	2
✓	Multi-meter	VC890D	7
✓	Test Computer	No Information	13

Verified by TUV on 2013.7.15

## Certification:




## Warranty and After Sales:



- ▶ All products' warranty are not less than 12 month, some models even up to 24 months warranty.
- ▶ Spare parts will be provided for mass orders for customers' local maintenance.
- ▶ Any product found to be defective within 30 days of shipment shall be deemed Dead on Arrival (DOA). DOA products will be advance replaced and shipped via express.
- ▶ Have distributors or authorized agents in the main market who can provide local repair and replacement services.
- ▶ Professional CRM management insures fast respond for customer's enquiries and orders tracking.
- ▶ Sales with many years experience in foreign trade, proficient in foreign languages and strong sense of responsibility.
- ▶ 7\*24 hours online, responds with 12 hours in working days, and within 24 hours for rest days.

## Packing and Shipment:



## Payment:



secure payment



## Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.



# Company Profile



## TRADE ASSURANCE

- 100% money refund for Late shipment & Quality problem
- Guarantee on-time delivery
- Third-party pre-shipment quality inspection (Optional)
- No transaction commission charged
- The HIGHEST assurance amount guaranteed by alibaba in the Auto-ID and POS industry .



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers , Thermal Printer, Barcode printer, Dot Matrix Printer, Barcode Scanner, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: [www.ocominc.com](http://www.ocominc.com), Together we quest for the best.



## **Часто задаваемые вопросы**

### **1. MOQ политика**

Нет MOQ ограничения для стандартных продуктов, но цена за единицу отличается, большее количество лучше цена.

По индивидуальному заказу вы можете напрямую обсудить MOQ с нашим торговым представителем.

### **2. Доступность образца & политика**

После того, как клиенты подтвердили спецификацию, мы очень рады предоставить образцы для тестирования и квалификации.

Все образцы должны быть оплачены до отгрузки, цена образцов выше, чем массовый заказ. Когда массовый заказ размещен, мы можем вернуть вам стоимость образцов или отправить вам больше штучных продуктов с пересылками.

Вы можете купить образцы у нас напрямую, используя T / T, Western Union или paypal. И вы также можете купить его в нашем интернет-магазине.

### **3. Гарантия**

ОСОМ стремится предоставлять наиболее экономически эффективные продукты и услуги с надежным качеством, которое удовлетворит удовлетворенность клиентов;

Мы были квалифицированы глобальной компанией fortune 500, и у нас есть первый торговый уровень, который на 100% защищает ваши деньги и время выполнения заказа.

Наша гарантия на продукты составляет около 12 + 1 месяц с момента поставки, как правило, некоторые обозначенные модели могут иметь гарантию до 24 месяцев;

Любой товар в течение 30 дней с момента сбоя доставки считается недействительным (DOA). Продукты DOA отдают приоритет замене и отправляются курьером.

Для массового заказа, мы хотели бы поставить некоторые запчасти с доставкой для местного быстрого ремонта. И после этого вы можете вернуть неисправные детали для доработки и анализа.

### **4. Условия оплаты**

Для массового заказа вы можете оплатить нас с помощью T / T, LC, Western Union, Escrow или других. О порядке образцов, T / T, Western Union, Escrow, Paypal являются приемлемыми. В настоящее время вы можете оплатить с помощью Moneybookers, Visa, MasterCard и банковским переводом. Вы также можете оплатить некоторые дебетовые карты, включая Maestro, Solo, Carte Bleue, Pos tePay, CartaSi, 4B и Euro6000.

### **5. Отгрузка**

Мы принимаем все виды способов доставки, включая: экспресс, воздушный, морской, автомобильный транспорт или самовывоз

### **6. Клиент**

Наши основные клиенты из Ecuorean, Австралии, а также быстро растущей Южной Америки, Африки, России ...

Мы обслужили более 2300 клиентов из 159 стран, включая глобальную компанию Fortune 500,

такую как Unilever, O2 ..... 50 из них являются крупнейшими дистрибьюторами в местных территориях.

### **Почему вы выбираете ОСОМ?**

- Ведущий поставщик универсальных POS и сопутствующих товаров с автоматической идентификацией, признанный компаниями Global Fortune 500
- Клиенты первого уровня, включая Unilever, O2, Star ...
- 2300 + клиентов охватывают 159 стран;
- 11 лет опыта OEM / ODM.
- Топ 1 уровень торгового обеспечения в соответствии с промышленным гарантированным качеством POS и датой отгрузки
- Быстро реагирует и профессиональное обслуживание
- ISO, FCC, CE, Soncap, POA, BIS и другие сертификаты
- 12 + 1 месяц гарантии.
- Шорт-лист в номинации «Лучший работодатель Китая»
- Вера: честность, стремление к совершенству, взаимовыгодное сотрудничество